



Automotive Recommended Part List (ARPL) Updated: 11-Jun-2018

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Amplifiers	AD8028	-40C to 125C	High Performance RRIO	10-MINI_SO-N/A	AD8028WARMZ-R7	001
	AD8040	-40C to 125C	Quad Low Power R-R I/O Amp.	14-TSSOP_4.4-4.4_MM	AD8040WARUZ-REEL7	002
	AD8065	-40C to 105C	1X 145MHz FastFET amp lw noise, 5V-24V	5-SOT_23-N/A	AD8065WARTZ-R7	003
	AD8132	-40C to 125C	Low Power Diff amp, Hgh BW, fst slw	8-MINI_SO-N/A	AD8132WARMZ-R7	004
	AD8137	-40C to 125C	Low Power Diff ADC Driver	8-LFCSP-3X3X0.75	AD8137WYCPZ-R7	005
	AD8145	-40C to 105C	3X diff-sngl end vid rcvr amp hgh CMRR	32-LFCSP-5X5X0.75	AD8145WYCPZ-R7	006
	AD8202	-40C to 150C	High Cmn mode Vltg Diff Amp DIE	0-CHIP-N/A	AD8202W-KGD-R7	007
		-40C to 125C	High Cmn mode Vltg Diff Amp	8-SOIC_N-150_MIL	AD8202WYRZ	008
		-40C to 125C	High Cmn mode Vltg Diff Amp	8-SOIC_N-150_MIL	AD8202WYRZ-RL	009
		-40C to 125C	High Cmn mode Vltg Diff Amp (die only)	0-CHIP-N/A	AD8202WYC-P7	010
		-40C to 125C	HighCmn mode Vltg Diff Amp	8-MINI_SO-N/A	AD8202WYRMZ	011
		-40C to 125C	HighCmn mode Vltg Diff Amp	8-MINI_SO-N/A	AD8202WYRMZ-RL	012
	AD8205	-40C to 150C	42V Single Supply Diff Amp	8-SOIC_N-150_MIL	AD8205WHRZ	013
		-40C to 150C	42V Single Supply Diff Amp	8-SOIC_N-150_MIL	AD8205WHRZ-RL	014
		-40C to 125C	High CMN Mode Sngl Supply Bidir Diff Amp	8-SOIC_N-150_MIL	AD8205WYRZ	015
		-40C to 125C	High CMN Mode Sngl Supply Bidir Diff Amp	8-SOIC_N-150_MIL	AD8205WYRZ-R7	016
		-40C to 125C	High CMN Mode Sngl Supply Bidir Diff Amp	8-SOIC_N-150_MIL	AD8205WYRZ-RL	017
	AD8206	-40C to 150C	Single Supply High Cmn Mode Diff Amp	8-SOIC_N-150_MIL	AD8206WHRZ	018
		-40C to 150C	Single Supply High Cmn Mode Diff Amp	8-SOIC_N-150_MIL	AD8206WHRZ-RL	019
		-40C to 125C	Sngl Supply Hgh Cmn Mode Diff Amp	8-SOIC_N-150_MIL	AD8206WYRZ	020
		-40C to 125C	Sngl Supply Hgh Cmn Mode Diff Amp	8-SOIC_N-150_MIL	AD8206WYRZ-R7	021
		-40C to 125C	Sngl Supply Hgh Cmn Mode Diff Amp	8-SOIC_N-150_MIL	AD8206WYRZ-RL	022
	AD8207	-40C to 125C	Zero Drift High Voltage Difference Amp	8-SOIC_N-150_MIL	AD8207WBRZ	023
		-40C to 125C	Zero Drift High Voltage Difference Amp	8-SOIC_N-150_MIL	AD8207WBRZ-R7	024
		-40C to 125C	Zero Drift High Voltage Difference Amp	8-SOIC_N-150_MIL	AD8207WBRZ-RL	025
	AD8208	-40C to 150C	High Temp/Voltage Precision DiffAmp	8-SOIC_N-150_MIL	AD8208WHRZ	026
		-40C to 150C	High Temp/Voltage Precision DiffAmp	8-SOIC_N-150_MIL	AD8208WHRZ-RL	027
		-40C to 150C	HighTemp Voltage Precision DiffAmp	8-MINI_SO-N/A	AD8208WHRMZ	028
		-40C to 150C	HighTemp Voltage Precision DiffAmp	8-MINI_SO-N/A	AD8208WHRMZ-RL	029
		-40C to 125C	High Voltage Precision Diff Amp	8-MINI_SO-N/A	AD8208WBRMZ	030
		-40C to 125C	High Voltage Precision Diff Amp	8-MINI_SO-N/A	AD8208WBRMZ-R7	031
		-40C to 125C	High Voltage Precision Diff Amp	8-MINI_SO-N/A	AD8208WBRMZ-RL	032
		-40C to 125C	High Voltage Precision Diff Amp	8-SOIC_N-150_MIL	AD8208WBRZ	033
		-40C to 125C	High Voltage Precision Diff Amp	8-SOIC_N-150_MIL	AD8208WBRZ-R7	034
		-40C to 125C	High Voltage Precision Diff Amp	8-SOIC_N-150_MIL	AD8208WBRZ-RL	035
	AD8209	-40C to 150C	HighTemp Voltage Precision DiffAmp	8-MINI_SO-N/A	AD8209WHRMZ	036
		-40C to 150C	HighTemp Voltage Precision DiffAmp	8-MINI_SO-N/A	AD8209WHRMZ-RL	037
	AD8209A	-40C to 125C	Hgh Vltg Precision Diff Amp w/EMI Fltr	8-MINI_SO-N/A	AD8209AWBRMZ	038
		-40C to 125C	Hgh Vltg Precision Diff Amp w/EMI Fltr	8-MINI_SO-N/A	AD8209AWBRMZ-R7	039
		-40C to 125C	Hgh Vltg Precision Diff Amp w/EMI Fltr	8-MINI_SO-N/A	AD8209AWBRMZ-RL	040

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Amplifiers	AD8210	-40C to 125C	High Vltg, 2-directional crnt shunt mntr	8-SOIC_N-150_MIL	AD8210WYRZ	041
		-40C to 125C	High Vltg, 2-directional crnt shunt mntr	8-SOIC_N-150_MIL	AD8210WYRZ-R7	042
		-40C to 125C	High Vltg, 2-directional crnt shunt mntr	8-SOIC_N-150_MIL	AD8210WYRZ-RL	043
	AD8211	-40C to 125C	High Voltage Current Shunt Amp	5-SOT_23-N/A	AD8211WYRJZ-R7	044
		-40C to 125C	High Voltage Current Shunt Amp	5-SOT_23-N/A	AD8211WYRJZ-RL	045
	AD8212	-40C to 125C	Hgh Vltg Current Shunt Mntr, Adj gain	8-MINI_SO-N/A	AD8212WYRMZ	046
		-40C to 125C	Hgh Vltg Current Shunt Mntr, Adj gain	8-MINI_SO-N/A	AD8212WYRMZ-R7	047
		-40C to 125C	Hgh Vltg Current Shunt Mntr, Adj gain	8-MINI_SO-N/A	AD8212WYRMZ-RL	048
	AD8213	-40C to 150C	Dual, Hgh Vltg, current shunt monitor	10-MINI_SO-N/A	AD8213WHRMZ	049
		-40C to 150C	Dual, Hgh Vltg, current shunt monitor	10-MINI_SO-N/A	AD8213WHRMZ-R7	050
		-40C to 150C	Dual, Hgh Vltg, current shunt monitor	10-MINI_SO-N/A	AD8213WHRMZ-RL	051
		-40C to 125C	Dual, Hgh Vltg, current shunt monitor	10-MINI_SO-N/A	AD8213WYRMZ	052
		-40C to 125C	Dual, Hgh Vltg, current shunt monitor	10-MINI_SO-N/A	AD8213WYRMZ-R7	053
		-40C to 125C	Dual, Hgh Vltg, current shunt monitor	10-MINI_SO-N/A	AD8213WYRMZ-RL	054
	AD8214	-40C to 125C	Current Shunt Threshold Detector	8-MINI_SO-N/A	AD8214WYRMZ	055
		-40C to 125C	Current Shunt Threshold Detector	8-MINI_SO-N/A	AD8214WYRMZ-R7	056
		-40C to 125C	Current Shunt Threshold Detector	8-MINI_SO-N/A	AD8214WYRMZ-RL	057
	AD8215	-40C to 125C	Hgh Vltg+/- .3% gn err crnt shunt mntr	8-SOIC_N-150_MIL	AD8215WYRZ	058
		-40C to 125C	Hgh Vltg+/- .3% gn err crnt shunt mntr	8-SOIC_N-150_MIL	AD8215WYRZ-R7	059
		-40C to 125C	Hgh Vltg+/- .3% gn err crnt shunt mntr	8-SOIC_N-150_MIL	AD8215WYRZ-RL	060
	AD8216	-40C to 125C	3 MHz, bi-directional 65V Diff Amp	8-SOIC_N-150_MIL	AD8216WYRZ	061
		-40C to 125C	3 MHz, bi-directional 65V Diff Amp	8-SOIC_N-150_MIL	AD8216WYRZ-R7	062
		-40C to 125C	3 MHz, bi-directional 65V Diff Amp	8-SOIC_N-150_MIL	AD8216WYRZ-RL	063
	AD8220	-40C to 125C	FET Input Instrumentation Amplifier	8-MINI_SO-N/A	AD8220WARMZ	064
		-40C to 125C	FET Input Instrumentation Amplifier	8-MINI_SO-N/A	AD8220WARMZ-R7	065
		-40C to 125C	FET Input Instrumentation Amplifier	8-MINI_SO-N/A	AD8220WARMZ-RL	066
	AD8231	-40C to 125C	Low Volt Low Drift Signal Condition Amp	16-LFCSP-4X4X0.75	AD8231WACPZ-RL	067
	AD8417	-40C to 150C	80V CMN Mode BiDir Current Sense Amp	8-MINI_SO-N/A	AD8417WHRMZ	068
		-40C to 150C	80V CMN Mode BiDir Current Sense Amp	8-MINI_SO-N/A	AD8417WHRMZ-RL	069
		-40C to 150C	80V CMN Mode BiDir Current Sense Amp	8-SOIC_N-150_MIL	AD8417WHRZ	070
		-40C to 150C	80V CMN Mode BiDir Current Sense Amp	8-SOIC_N-150_MIL	AD8417WHRZ-RL	071
		-40C to 125C	80V CMN Mode BiDir Current Sense Amp	8-MINI_SO-N/A	AD8417WBRMZ	072
		-40C to 125C	80V CMN Mode BiDir Current Sense Amp	8-MINI_SO-N/A	AD8417WBRMZ-RL	073
		-40C to 125C	80V CMN Mode BiDir Current Sense Amp	8-SOIC_N-150_MIL	AD8417WBRZ	074
		-40C to 125C	80V CMN Mode BiDir Current Sense Amp	8-SOIC_N-150_MIL	AD8417WBRZ-RL	075
	AD8418	-40C to 125C	Zero Drift ,Precision Current Sense AMP	8-MINI_SO-N/A	AD8418WBRMZ	076
		-40C to 125C	Zero Drift ,Precision Current Sense AMP	8-MINI_SO-N/A	AD8418WBRMZ-RL	077
		-40C to 125C	Zero Drift ,Precision Current Sense AMP	8-SOIC_N-150_MIL	AD8418WBRZ	078
		-40C to 125C	Zero Drift ,Precision Current Sense AMP	8-SOIC_N-150_MIL	AD8418WBRZ-RL	079
	AD8418A	-40C to 150C	High Common Mode Cur Sense, -3V to 80V	8-MINI_SO-N/A	AD8418AWHRMZ	080

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Amplifiers	AD8418A	-40C to 150C	High Common Mode Cur Sense, -3V to 80V	8-MINI_SO-N/A	AD8418AWHRMZ-RL	081
		-40C to 150C	High Common Mode Cur Sense, -3V to 80V	8-SOIC_N-150_MIL	AD8418AWHRZ	082
		-40C to 150C	High Common Mode Cur Sense, -3V to 80V	8-SOIC_N-150_MIL	AD8418AWHRZ-RL	083
		-40C to 125C	High Common Mode Cur Sense, -3V to 80V	8-MINI_SO-N/A	AD8418AWBRMZ	084
		-40C to 125C	High Common Mode Cur Sense, -3V to 80V	8-MINI_SO-N/A	AD8418AWBRMZ-RL	085
		-40C to 125C	High Common Mode Cur Sense, -3V to 80V	8-SOIC_N-150_MIL	AD8418AWBRZ	086
		-40C to 125C	High Common Mode Cur Sense, -3V to 80V	8-SOIC_N-150_MIL	AD8418AWBRZ-RL	087
	AD8538	-40C to 125C	Single Low Power AutoZero Amp	5-TSOT-N/A	AD8538WAUJZ-R7	088
	AD8544	-40C to 125C	QUAD, LOW PWR RAIL/RAIL	14-SOIC_N-150_MIL	AD8544WARZ-R7	089
		-40C to 125C	QUAD, LOW PWR RAIL/RAIL	14-SOIC_N-150_MIL	AD8544WARZ-RL	090
	AD8601	-40C to 125C	Single, Lw Cst, 8MHz, RR1	5-SOT_23-N/A	AD8601WARTZ-R7	091
		-40C to 125C	Single, Lw Cst, 8MHz, RR10, 5V Op Amp	5-SOT_23-N/A	AD8601WARTZ-RL	092
		-40C to 125C	Single, Lw Cst, 8MHz, RR10, 5V Op Amp	5-SOT_23-N/A	AD8601WDRTZ-REEL	093
		-40C to 125C	Single, Lw Cst, 8MHz, RR10, 5V Op Amp	5-SOT_23-N/A	AD8601WDRTZ-REEL7	094
	AD8602	-40C to 125C	Precision CMOS R-R OPAMP	8-SOIC_N-150_MIL	AD8602WARZ-R7	095
		-40C to 125C	Precision CMOS R-R OPAMP	8-SOIC_N-150_MIL	AD8602WARZ-RL	096
	AD8617	-40C to 125C	2X,MicronPower, Lw Cst, RR10, 5V OpAmp	8-MINI_SO-N/A	AD8617WARMZ-REEL	097
		-40C to 125C	2X,MicronPower,Lw Cst,RR10,5V OpAmp	8-SOIC_N-150_MIL	AD8617WARZ-R7	098
		-40C to 125C	2X,MicronPower,Lw Cst,RR10,5V OpAmp	8-SOIC_N-150_MIL	AD8617WARZ-RL	099
	AD8619	-40C to 125C	Low Voltage Low Pwr CMOS OPAMP	14-TSSOP_4.4-4.4_MM	AD8619WARUZ-R7	100
		-40C to 125C	Low Voltage Low Pwr CMOS OPAMP	14-TSSOP_4.4-4.4_MM	AD8619WARUZ-RL	101
		-40C to 125C	Quad Low Voltage Low Pwr CMOS OPAMP	14-SOIC_N-150_MIL	AD8619WARZ-R7	102
		-40C to 125C	Quad Low Voltage Low Pwr CMOS OPAMP	14-SOIC_N-150_MIL	AD8619WARZ-RL	103
	AD8628	-40C to 125C	Single, Zero drift, RR10, 5V OpAmp	5-SOT_23-N/A	AD8628WARTZ-R7	104
		-40C to 125C	Single, Zero drift, RR10, 5V OpAmp	5-SOT_23-N/A	AD8628WARTZ-RL	105
		-40C to 125C	Single, Zero drift, RR10, 5V OpAmp	5-TSOT-N/A	AD8628WAUJZ-R7	106
		-40C to 125C	Single, Zero drift, RR10, 5V OpAmp	5-TSOT-N/A	AD8628WAUJZ-RL	107
		-40C to 125C	Single, Zero drift, RR10, 5V OpAmp	8-SOIC_N-150_MIL	AD8628WARZ-R7	108
	AD8629	-40C to 125C	Dual, Zero drift, RR10, 5V OpAmp	8-SOIC_N-150_MIL	AD8629WARZ-R7	109
		-40C to 125C	Dual, Zero drift, RR10, 5V OpAmp	8-SOIC_N-150_MIL	AD8629WARZ-RL	110
	AD8630	-40C to 125C	Quad, Zero drift, RR10, 5V Op Amp	14-SOIC_N-150_MIL	AD8630WARZ-R7	111
		-40C to 125C	Quad, Zero drift, RR10, 5V Op Amp	14-SOIC_N-150_MIL	AD8630WARZ-RL	112
	AD8639	-40C to 125C	Dual, Zero drift, RR10, 16V Op Amp	8-SOIC_N-150_MIL	AD8639WARZ	113
		-40C to 125C	Dual, Zero drift, RR10, 16V Op Amp	8-SOIC_N-150_MIL	AD8639WARZ-R7	114
		-40C to 125C	Dual, Zero drift, RR10, 16V Op Amp	8-SOIC_N-150_MIL	AD8639WARZ-RL	115
	AD8646	-40C to 125C	Dual, 24MHz, RR10, 5V Op	8-SOIC_N-150_MIL	AD8646WARZ-R7	116
		-40C to 125C	Dual, 24MHz, RR10, 5V Op Amp	8-MINI_SO-N/A	AD8646WARMZ-R7	117
		-40C to 125C	Dual, 24MHz, RR10, 5V Op Amp	8-MINI_SO-N/A	AD8646WARMZ-RL	118
		-40C to 125C	Dual, 24MHz, RR10, 5V Op Amp	8-SOIC_N-150_MIL	AD8646WARZ-RL	119
	AD8648	-40C to 125C	Quad, 24MHz, RR10, 5V Op Amp	14-TSSOP_4.4-4.4_MM	AD8648WARUZ	120

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM	
Amplifiers	AD8648	-40C to 125C	Quad, 24MHz, RRIO, 5V Op Amp	14-TSSOP_4.4-4.4_MM	AD8648WARUZ-RL	121	
	AD8655	-40C to 125C	Low Noise, R-R out, DigiTrim Cmos Op Amp	8-MINI_SO-N/A	AD8655WARMZ-RL	122	
	AD8656	-40C to 125C	2X, Lw Noise, Prcsn, RRIO, 5V Op Amp	8-MINI_SO-N/A	AD8656WARMZ-REEL	123	
	AD8666	-40C to 125C	Dual LowCostNoise 16V R-R CMOS Amp	8-SOIC_N-150_MIL	AD8666WARZ-R7	124	
		-40C to 125C	Dual LowCostNoise 16V R-R CMOS Amp	8-SOIC_N-150_MIL	AD8666WARZ-RL	125	
	AD8668	-40C to 125C	16V Quad Low Noise AMP	14-TSSOP_4.4-4.4_MM	AD8668WARUZ-R7	126	
		-40C to 125C	16V Quad Low Noise AMP	14-TSSOP_4.4-4.4_MM	AD8668WARUZ-RL	127	
	AD8691	-40C to 125C	Single Low Noise CMOS Amplifier	5-TSOT-N/A	AD8691WAUJZ-R7	128	
		-40C to 125C	Single Low Noise CMOS Amplifier	5-TSOT-N/A	AD8691WAUJZ-RL	129	
	AD8692	-40C to 125C	DUAL, PRECISION CMOS RAIL-RAIL OP AMP	8-MINI_SO-N/A	AD8692WARMZ-REEL	130	
	AD8694	-40C to 125C	4X Lw Noise, Lw Cst, R/R Out, 5V Op Amp	14-TSSOP_4.4-4.4_MM	AD8694WARUZ	131	
		-40C to 125C	4X Lw Noise, Lw Cst, RRIO, 5V Op Amp	14-TSSOP_4.4-4.4_MM	AD8694WARUZ-REEL	132	
	ADA4096-2	-40C to 125C	30V, Micropower, OVP, RRIO OpAmp	8-MINI_SO-N/A	ADA4096-2WARMZ-R7	133	
		-40C to 125C	30V, Micropower, OVP, RRIO OpAmp	8-MINI_SO-N/A	ADA4096-2WARMZ-RL	134	
	ADA4432-1	-40C to 125C	High Spd Shrt Bat. Protect Video Filter	6-SOT_23-N/A	ADA4432-1WBVRJZ-R7	135	
		-40C to 125C	High Spd Shrt Bat. Protect Video Filter	8-LFCSP-3X3X0.75	ADA4432-1WBPCPZ-R7	136	
	ADA4830-1	-40C to 125C	HighSpd Shrt Bat. Protect Video Filter	8-LFCSP-3X3X0.75	ADA4830-1WBPCPZ-R7	137	
	ADA4830-2	-40C to 125C	High Spd 18V Shrt Bat Protected Diff AMP	16-LFCSP-3X3X0.75	ADA4830-2WBPCPZ-R7	138	
	ADA4851-1	-40C to 125C	Sngl, lw cst, hgh spd 130MHz amp R/R	6-SOT_23-N/A	ADA4851-1WYRJZ-R7	139	
	ADA4851-2	-40C to 125C	2X, lw cst, hgh spd amp 130MHz R/R out	8-MINI_SO-N/A	ADA4851-2WYRIMZ-R7	140	
	ADA4851-4	-40C to 125C	4X, lw cst, hgh spd amp 130MHz R/R out	14-TSSOP_4.4-4.4_MM	ADA4851-4WYRUZ-R7	141	
	ADA4853-3	-40C to 105C	R/R OTPT Vid OpAmp w/Ultra LPDis	16-LFCSP-3X3X0.75	ADA4853-3WYCPZ-R7	142	
	ADA4891-1	-40C to 125C	High Spd CMOS RR Video Amp	5-SOT_23-N/A	ADA4891-1WARJZ-R7	143	
	ADA4891-2	-40C to 125C	High Spd CMOS RR Video Amp	8-MINI_SO-N/A	ADA4891-2WARMZ-R7	144	
	ADA4891-4	-40C to 125C	Lw Cst CMOS High Spd RR Amp Quad	14-TSSOP_4.4-4.4_MM	ADA4891-4WARUZ-R7	145	
	ADA8282	-40C to 125C	Quad Channel LNA & PGA AFE	32-LFCSP-5X5X0.75	ADA8282WBPCPZ	146	
		-40C to 125C	Quad Channel LNA & PGA AFE	32-LFCSP-5X5X0.75	ADA8282WBPCPZ-R7	147	
	Analog to Digital Converters	AD2S1205	-40C to 125C	12-bit, 1000RPS Resolver-Digital Convert	44-LQFP-10X10X1.4	ADW71205WSTZ	148
			-40C to 125C	12-bit, 1000RPS Resolver-Digital Convert	44-LQFP-10X10X1.4	ADW71205WSTZ-RL	149
			-40C to 125C	12-bit, 1000RPS Resolver-Digital Convert	44-LQFP-10X10X1.4	ADW71205YSTZ	150
-40C to 125C			12-bit, 1000RPS Resolver-Digital Convert	44-LQFP-10X10X1.4	ADW71205YSTZ-RL	151	
AD2S1210		-40C to 125C	16-BIT PROG RESOLVER-DIGITAL CONERTER IC	48-LQFP-7X7X1.4	AD2S1210WDSTZ	152	
		-40C to 125C	16-BIT PROG RESOLVER-DIGITAL CONERTER IC	48-LQFP-7X7X1.4	AD2S1210WDSTZRL7	153	
AD7147		-40C to 85C	Capacitance to Digital Converter	24-LFCSP-4X4X0.75	AD7147WPACPZ-1500R	154	
		-40C to 85C	Capacitance to Digital Converter	24-LFCSP-4X4X0.75	AD7147WPACPZ-1RL	155	
		-40C to 85C	Capacitance to Digital Converter	24-LFCSP-4X4X0.75	AD7147WPACPZ-500R7	156	
		-40C to 85C	Capacitance to Digital Converter	24-LFCSP-4X4X0.75	AD7147WPACPZ-RL	157	
AD7190		-40C to 105C	2ch UltraLow Noise 24Bit Sigma DeltaPGA	24-TSSOP_4.4-4.4_MM	AD7190WBRUZ	158	
		-40C to 105C	2ch UltraLow Noise 24Bit Sigma DeltaPGA	24-TSSOP_4.4-4.4_MM	AD7190WBRUZ-RL	159	
AD7280A		-40C to 105C	LI+ BATTERY MONITORING Upgrade	48-LQFP-7X7X1.4	AD7280AWBSTZ	160	

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM	
Analog to Digital Converters	AD7280A	-40C to 105C	Li+ BATTERY MONITORING Upgrade	48-LQFP-7X7X1.4	AD7280AWBSTZ-RL	161	
	AD7357	-40C to 125C	14-Bit Dual Diff Simult 5 MSPS ADC I.C.	16-TSSOP_4.4-4.4_MM	AD7357WYRUZ	162	
		-40C to 125C	14-Bit Dual Diff Simult 5 MSPS ADC I.C.	16-TSSOP_4.4-4.4_MM	AD7357WYRUZ-RL	163	
	AD7401A	-40C to 150C	Isolated 16-Bit Sigma-Delta Modula I.C.	16-SOIC_W-300_MIL	ADW70015Z-0RL	164	
	AD7476A	-40C to 125C	12-Bit Low Voltage, low power ADC I.C.	8-MINI_SO-N/A	AD7476AWYRMZ	165	
		-40C to 125C	12-Bit Low Voltage, low power ADC I.C.	8-MINI_SO-N/A	AD7476AWYRMZ-RL7	166	
	AD7477A	-40C to 85C	10-Bit Low Power ADC in uSOIC Pkg I.C	8-MINI_SO-N/A	AD7477AWARMZ	167	
		-40C to 85C	10-Bit Low Power ADC in uSOIC Pkg I.C	8-MINI_SO-N/A	AD7477AWARMZ-RL	168	
	AD7478A	-40C to 85C	8-Bit Low Power ADC in uSOIC Pkg I.C	8-MINI_SO-N/A	AD7478AWARMZ	169	
		-40C to 85C	8-Bit Low Power ADC in uSOIC Pkg I.C	8-MINI_SO-N/A	AD7478AWARMZ-RL	170	
	AD7812	-40C to 105C	8 CH. 10-BIT Analog-Digital Converter	20-TSSOP_4.4-4.4_MM	AD7812WYRUZ-RL	171	
	AD7877	-40C to 85C	Touch Screen Digitizer with Dac I.C.	32-LFCSP-5X5X0.75	AD7877WACPZ-REEL7	172	
	AD7879	-40C to 85C	Touch Screen Controller	16-LFCSP-4X4X0.75	AD7879WACPZ-R5	173	
		-40C to 85C	Touch Screen Controller	16-LFCSP-4X4X0.75	AD7879WACPZ-RL	174	
		-40C to 85C	Touch Screen Controller	16-TSSOP_4.4-4.4_MM	AD7879-1WARUZ-RL	175	
		-40C to 85C	Touch Screen Controller	16-TSSOP_4.4-4.4_MM	AD7879-1WARUZ-RL7	176	
		-40C to 85C	Touch Screen Controller	16-TSSOP_4.4-4.4_MM	AD7879WARUZ-RL	177	
		-40C to 85C	Touch Screen Controller	16-TSSOP_4.4-4.4_MM	AD7879WARUZ-RL7	178	
	AD7887	-40C to 125C	2 CHANNEL, SERIAL 12-BIT ADC I.C.	8-MINI_SO-N/A	AD7887WARMZ	179	
		-40C to 125C	2 CHANNEL, SERIAL 12-BIT ADC I.C.	8-MINI_SO-N/A	AD7887WARMZ-RL	180	
	AD7904	-40C to 125C	8-Bit 4,CH 1 Msps Analog-Digital Conv	16-TSSOP_4.4-4.4_MM	AD7904WYRUZ-REEL7	181	
	AD7908	-40C to 125C	8-Bit 8, Ch 1 Msps Analog-Digital Conv	20-TSSOP_4.4-4.4_MM	AD7908WYRUZ-REEL7	182	
	AD7914	-40C to 125C	10-Bit 4,CH 1 Msps ADC I.C.	16-TSSOP_4.4-4.4_MM	AD7914WYRUZ-REEL7	183	
	AD7918	-40C to 125C	10-Bit 8, Ch 1 Msps Analog-Digital Conv	20-TSSOP_4.4-4.4_MM	AD7918WYRUZ-REEL7	184	
	AD7923	-40C to 125C	12-BIT 4,Ch 200 Ksps ADC I.C.	16-TSSOP_4.4-4.4_MM	AD7923WYRUZ-REEL7	185	
	AD7924	-40C to 125C	12-Bit 4,CH 1 Msps ADC I.C.	16-TSSOP_4.4-4.4_MM	AD7924WYRUZ-REEL7	186	
	AD7927	-40C to 85C	12-BIT 8,Ch 200 Ksps Analog-Digital Conv	20-TSSOP_4.4-4.4_MM	AD7927WYRUZ-REEL7	187	
	AD7928	-40C to 125C	12-Bit 8, Ch 1 Msps Analog-Digital Conv	20-TSSOP_4.4-4.4_MM	AD7928WBRUZ-REEL	188	
	AD8284	-40C to 105C	4-Ch Muxed Input Radar Analog Front End	64-TQFP_EP-10X10X1.0	AD8284WCSVZ	189	
		-40C to 105C	4-Ch Muxed Input Radar Analog Front End	64-TQFP_EP-10X10X1.0	AD8284WCSVZ-RL	190	
	AD9203	-40C to 85C	10-bit, low power 40MSPS ADC	28-TSSOP_4.4-4.4_MM	AD9203WARUZ	191	
		-40C to 85C	10-bit, low power 40MSPS ADC	28-TSSOP_4.4-4.4_MM	AD9203WARUZRL7	192	
	ADAR7251	-40C to 125C	4CH 16bit Continuous Time ADC w/PGA	48-LFCSP_SS-7X7X0.75	ADAR7251WBCSZ	193	
		-40C to 125C	4CH 16bit Continuous Time ADC w/PGA	48-LFCSP_SS-7X7X0.75	ADAR7251WBCSZ-RL	194	
	ADT7311	-40C to 150C	0.5C Accurate Temp Sensor-SPI Interface	8-SOIC_N-150_MIL	ADT7311WTRZ	195	
		-40C to 150C	0.5C Accurate Temp SPI Interface	8-SOIC_N-150_MIL	ADT7311WTRZ-RL	196	
		-40C to 150C	0.5C Accurate Temp SPI Interface	8-SOIC_N-150_MIL	ADT7311WTRZ-RL7	197	
	ADT7312	-55C to 175C	0.5C ACC DIGITAL TEMP SENSOR SPI I/face	0-CHIP-N/A	ADT7312WCZ-PT7	198	
	TMP36	-40C to 125C	+2.7-5.5V Vout TEMP SENSOR	5-SOT_23-N/A	ADW75001Z-0REEL7	199	
	Application Specific	AD8283	-40C to 105C	Radar Receive Path AFE	72-LFCSP-10X10X0.85	AD8283WBCPZ	200

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Application Specific	AD8283	-40C to 105C	Radar Receive Path AFE	72-LFCSP-10X10X0.85	AD8283WBCPZ-RL	201
	AD8285	-40C to 105C	Radar Receive Path AFE	72-LFCSP-10X10X0.85	AD8285WBCPZ	202
		-40C to 105C	Radar Receive Path AFE	72-LFCSP-10X10X0.85	AD8285WBCPZ-RL	203
Audio/Video Products	AD1933	-40C to 105C	8 CH Audio DAC w/on chip PLL/Diff output	64-LQFP-10X10X1.4	AD1933WBSTZ	204
		-40C to 105C	8 CH Audio DAC w/on chip PLL/Diff output	64-LQFP-10X10X1.4	AD1933WBSTZ-RL	205
	AD1934	-40C to 105C	8 CH DAC w/on chip PLL	48-LQFP-7X7X1.4	AD1934WBSTZ	206
		-40C to 105C	8 CH DAC w/on chip PLL	48-LQFP-7X7X1.4	AD1934WBSTZ-RL	207
	AD1937	-40C to 125C	4ADCs/8DACs w/PLL 192 kHz, 24Bt Codec	64-LQFP-10X10X1.4	AD1937WBSTZ	208
		-40C to 125C	4ADCs/8DACs w/PLL 192 kHz, 24Bt Codec	64-LQFP-10X10X1.4	AD1937WBSTZ-RL	209
	AD1938	-40C to 105C	4-ADC 8-DAC Audio codec w/on chip PLL	48-LQFP-7X7X1.4	AD1938WBSTZ	210
		-40C to 105C	4-ADC 8-DAC Audio codec w/on chip PLL	48-LQFP-7X7X1.4	AD1938WBSTZ-RL	211
	AD1939	-40C to 105C	4-ADC 8-DAC Audio codec w/on chip PLL	64-LQFP-10X10X1.4	AD1939WBSTZ	212
		-40C to 105C	4-ADC 8-DAC Audio codec w/on chip PLL	64-LQFP-10X10X1.4	AD1939WBSTZ-RL	213
	AD1974	-40C to 105C	4 Channel ADC with On-Chip PLL	48-LQFP-7X7X1.4	AD1974WBSTZ	214
		-40C to 105C	4 Channel ADC with On-Chip PLL	48-LQFP-7X7X1.4	AD1974WBSTZ-RL	215
	AD2401W	-40C to 105C	Single Slave Serial Audio I/F w/ PDM only	32-LFCSP_SS-5X5X0.75	AD2401WCCSZ	216
		-40C to 105C	Single Slave Serial Audio I/F w/ PDM only	32-LFCSP_SS-5X5X0.75	AD2401WCCSZ-RL	217
	AD2402W	-40C to 105C	Multi-Slave Serial Audio I/F w/ PDM only	32-LFCSP_SS-5X5X0.75	AD2402WCCSZ	218
		-40C to 105C	Multi-Slave Serial Audio I/F w/ PDM only	32-LFCSP_SS-5X5X0.75	AD2402WCCSZ-RL	219
	AD2410W	-40C to 105C	Multi-channel, Bi-directional Serial I/F	32-LFCSP_SS-5X5X0.75	AD2410WCCSZ	220
		-40C to 105C	Multi-channel, Bi-directional Serial I/F	32-LFCSP_SS-N/A	AD2410WCCSZ-RL	221
	AD8566	-40C to 85C	DUAL 16V 35mA CBCMOS AMPLIFIER	8-MINI_SO-N/A	AD8566WARMZ-REEL	222
	ADA4430-1	-40C to 125C	Low Pwr Comp Video Filter w/UPL Disable	6-SOT_23-N/A	ADA4430-1WYRTZ-R7	223
	ADA4433-1	-40C to 125C	High Spd Shrt. Bat. Protect Video Filter	8-LFCSP-3X3X0.75	ADA4433-1WBCPZ-R7	224
	ADAU1450	-40C to 105C	SigmaDSP 150MHz Audio Processor	72-LFCSP-10X10X0.85	ADAU1450WBCPZ	225
		-40C to 105C	SigmaDSP 150MHz Audio Processor	72-LFCSP-10X10X0.85	ADAU1450WBCPZ-RL	226
	ADAU1451	-40C to 105C	SigmaDSP 300MHz Audio Processor	72-LFCSP-10X10X0.85	ADAU1451WBCPZ	227
		-40C to 105C	SigmaDSP 300MHz Audio Processor	72-LFCSP-10X10X0.85	ADAU1451WBCPZ-RL	228
	ADAU1452	-40C to 105C	150 MHz 32bit SigmaDSP Audio Processor	72-LFCSP-10X10X0.85	ADAU1452WBCPZ	229
		-40C to 105C	300 MHz 32bit SigmaDSP Audio Processor	72-LFCSP-10X10X0.85	ADAU1452WBCPZ-RL	230
	ADAU1462	-40C to 105C	32bit SigmaDSP Audio 16K/48K	72-LFCSP-10X10X0.85	ADAU1462WBCPZ150	231
		-40C to 105C	32bit SigmaDSP Audio 16K/48K	72-LFCSP-10X10X0.85	ADAU1462WBCPZ150RL	232
		-40C to 105C	32bit SigmaDSP Audio 16K/48K	72-LFCSP-10X10X0.85	ADAU1462WBCPZ300	233
		-40C to 105C	32bit SigmaDSP Audio 16K/48K	72-LFCSP-10X10X0.85	ADAU1462WBCPZ300RL	234
	ADAU1463	-40C to 105C	32bit SigmaDSP Audio 16K/48K	88-LFCSP-12X12X0.85	ADAU1463WBCPZ150	235
-40C to 105C		32bit SigmaDSP Audio 16K/48K	88-LFCSP-12X12X0.85	ADAU1463WBCPZ150RL	236	
-40C to 105C		32bit SigmaDSP Audio 16K/48K	88-LFCSP-12X12X0.85	ADAU1463WBCPZ300	237	
-40C to 105C		32bit SigmaDSP Audio 16K/48K	88-LFCSP-12X12X0.85	ADAU1463WBCPZ300RL	238	
ADAU1466	-40C to 105C	32bit SigmaDSP Audio 24K/80K	72-LFCSP-10X10X0.85	ADAU1466WBCPZ300	239	
	-40C to 105C	32bit SigmaDSP Audio 24K/80K	72-LFCSP-10X10X0.85	ADAU1466WBCPZ300RL	240	

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Audio/Video Products	ADAU1467	-40C to 105C	32bit SigmaDSP Audio 24K/80K	88-LFCSP-12X12X0.85	ADAU1467WBCPZ300	241
		-40C to 105C	32bit SigmaDSP Audio 24K/80K	88-LFCSP-12X12X0.85	ADAU1467WBCPZ300RL	242
	ADAU1961	-40C to 105C	24-bit Stereo Audio Codec	32-LFCSP-5X5X0.85	ADAU1961WBCPZ	243
		-40C to 105C	24-bit Stereo Audio Codec	32-LFCSP-5X5X0.85	ADAU1961WBCPZ-R7	244
		-40C to 105C	24-bit Stereo Audio Codec	32-LFCSP-5X5X0.85	ADAU1961WBCPZ-RL	245
	ADAU1962A	-40C to 105C	High Performance 12 chnl Audio DAC	80-LQFP-14X14X1.4	ADAU1962AWBSTZ	246
		-40C to 105C	High Performance 12 chnl Audio DAC	80-LQFP-14X14X1.4	ADAU1962AWBSTZ-RL	247
	ADAU1966	-40C to 105C	High Performance 16 DAC	80-LQFP-14X14X1.4	ADAU1966WBSTZ	248
		-40C to 105C	High Performance 16 DAC	80-LQFP-14X14X1.4	ADAU1966WBSTZRL	249
	ADAU1966A	-40C to 105C	High Performance 16 chnl Audio DAC	80-LQFP-14X14X1.4	ADAU1966AWBSTZ	250
		-40C to 105C	High Performance 16 chnl Audio DAC	80-LQFP-14X14X1.4	ADAU1966AWBSTZ-RL	251
	ADAU1977	-40C to 105C	Hi Perf Quad-ADC for Voice/ANCMicrophone	40-LFCSP-6X6X0.75	ADAU1977WBCPZ	252
		-40C to 105C	Hi Perf Quad-ADC for Voice/ANCMicrophone	40-LFCSP-6X6X0.75	ADAU1977WBCPZ-R7	253
		-40C to 105C	Hi Perf Quad-ADC for Voice/ANCMicrophone	40-LFCSP-6X6X0.75	ADAU1977WBCPZ-RL	254
	ADAU1978	-40C to 105C	Hi Perf Quad-ADC for Voice/ANCMicrophone	40-LFCSP-6X6X0.75	ADAU1978WBCPZ	255
		-40C to 105C	Hi Perf Quad-ADC for Voice/ANCMicrophone	40-LFCSP-6X6X0.75	ADAU1978WBCPZ-RL	256
	ADAU1979	-40C to 105C	Hi Perf Quad-ADC with 4Vrms input level	40-LFCSP-6X6X0.75	ADAU1979WBCPZ	257
		-40C to 105C	Hi Perf Quad-ADC with 4Vrms input level	40-LFCSP-6X6X0.75	ADAU1979WBCPZ-RL	258
	ADV7171	-40C to 85C	ADVANCED NTSC/PAL ENCODER I.C.	44-MQFP-10X10X2.0(+3.2)	ADV7171WBSZ-REEL	259
	ADV7180	-40C to 125C	10-bit 4x Oversampling SDTV Decoder	40-LFCSP-6X6X0.75	ADV7180WBCPZ	260
		-40C to 125C	10-bit 4x Oversampling SDTV Decoder	40-LFCSP-6X6X0.75	ADV7180WBCPZ-REEL	261
		-40C to 125C	10-bit 4x Oversampling SDTV Decoder	64-LQFP-10X10X1.4	ADV7180WBSTZ	262
		-40C to 125C	10-bit 4x Oversampling SDTV Decoder	64-LQFP-10X10X1.4	ADV7180WBSTZ-REEL	263
		-40C to 85C	10-bit 4x Oversampling SDTV Decoder	32-LFCSP-5X5X0.75	ADV7180WBSP32Z	264
		-40C to 85C	10-bit 4x Oversampling SDTV Decoder	32-LFCSP-5X5X0.75	ADV7180WBSP32Z-RL	265
		-40C to 85C	10-bit 4x Oversampling SDTV Decoder	48-LQFP-7X7X1.4	ADV7180WBST48Z	266
		-40C to 85C	10-bit 4x Oversampling SDTV Decoder	48-LQFP-7X7X1.4	ADV7180WBST48Z-RL	267
	ADV7181D	-40C to 85C	10-bit SD/HD Video Decoder	64-LFCSP-9X9X0.85	ADV7181DWBCPZ	268
		-40C to 85C	10-bit SD/HD Video Decoder	64-LFCSP-9X9X0.85	ADV7181DWBCPZ-RL	269
	ADV7182	-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7182WBCPZ	270
		-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7182WBCPZ-RL	271
	ADV7182A	-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7182AWBCPZ	272
		-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7182AWBCPZ-RL	273
	ADV7186	-40C to 85C	Video Decoder and Display Processor	196-CSP_BGA-12X12_MM	ADV7186WBBCZ	274
		-40C to 85C	Video Decoder and Display Processor	196-CSP_BGA-12X12_MM	ADV7186WBBCZ-RL	275
		-40C to 85C	Video Decoder and Display Processor	196-CSP_BGA-12X12_MM	ADV7186WBBCZ-T	276
		-40C to 85C	Video Decoder and Display Processor	196-CSP_BGA-12X12_MM	ADV7186WBBCZ-T-RL	277
		-40C to 85C	Video Decoder and Display Processor	196-CSP_BGA-12X12_MM	ADV7186WBBCZ-TL	278
		-40C to 85C	Video Decoder and Display Processor	196-CSP_BGA-12X12_MM	ADV7186WBBCZ-TL-RL	279
	ADV7280	-40C to 105C	10-bit SD Video Decoder	32-LFCSP-5X5X0.75	ADV7280WBCPZ	280

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Audio/Video Products	ADV7280	-40C to 105C	10-bit SD Video Decoder	32-LFCSP-5X5X0.75	ADV7280WBCPZ-M	281
		-40C to 105C	10-bit SD Video Decoder	32-LFCSP-5X5X0.75	ADV7280WBCPZ-M-RL	282
		-40C to 105C	10-bit SD Video Decoder	32-LFCSP-5X5X0.75	ADV7280WBCPZ-RL	283
	ADV7280A	-40C to 105C	10-bit SD Video Decoder	32-LFCSP-5X5X0.75	ADV7280AWBCPZ	284
		-40C to 105C	10-bit SD Video Decoder	32-LFCSP-5X5X0.75	ADV7280AWBCPZ-M	285
		-40C to 105C	10-bit SD Video Decoder	32-LFCSP-5X5X0.75	ADV7280AWBCPZ-M-RL	286
		-40C to 105C	10-bit SD Video Decoder	32-LFCSP-5X5X0.75	ADV7280AWBCPZ-RL	287
	ADV7281	-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7281WBCPZ-M	288
		-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7281WBCPZ-M-RL	289
		-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7281WBCPZ-MA	290
		-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7281WBCPZ-MA-RL	291
		-40C to 105C	10-bit SD Diff Video Decoder w/ I2P Out	32-LFCSP-5X5X0.75	ADV7281WBCPZ	292
		-40C to 105C	10-bit SD Diff Video Decoder w/ I2P Out	32-LFCSP-5X5X0.75	ADV7281WBCPZ-RL	293
	ADV7281A	-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7281AWBCPZ-M	294
		-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7281AWBCPZ-M-RL	295
	ADV7282	-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7282WBCPZ-M	296
		-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7282WBCPZ-M-RL	297
		-40C to 105C	10-bit SD Diff Video Decoder w/ I2P Out	32-LFCSP-5X5X0.75	ADV7282WBCPZ	298
		-40C to 105C	10-bit SD Diff Video Decoder w/ I2P Out	32-LFCSP-5X5X0.75	ADV7282WBCPZ-RL	299
	ADV7282A	-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7282AWBCPZ-M	300
		-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7282AWBCPZ-M-RL	301
		-40C to 105C	10-bit SD Diff Video Decoder w/ I2P Out	32-LFCSP-5X5X0.75	ADV7282AWBCPZ	302
		-40C to 105C	10-bit SD Diff Video Decoder w/ I2P Out	32-LFCSP-5X5X0.75	ADV7282AWBCPZ-RL	303
	ADV7283	-40C to 105C	10bit SD Vid Decoder w/Diff Input,Deinte	32-LFCSP-5X5X0.75	ADV7283WBCPZ	304
		-40C to 105C	10bit SD Vid Decoder w/Diff Input,Deinte	32-LFCSP-5X5X0.75	ADV7283WBCPZ-RL	305
	ADV7343	-40C to 85C	Multiformat Video Encoder	64-LQFP-10X10X1.4	ADV7343WBSTZ	306
		-40C to 85C	Multiformat Video Encoder	64-LQFP-10X10X1.4	ADV7343WBSTZ-RL	307
	ADV7390	-40C to 105C	3 DAC 10-bit HDTV Video Encoder	32-LFCSP-5X5X0.75	ADV7390WBCPZ	308
		-40C to 105C	3 DAC 10-bit HDTV Video Encoder	32-LFCSP-5X5X0.75	ADV7390WBCPZ-RL	309
	ADV7391	-40C to 105C	3 DAC 10-bit HDTV Video Encoder	32-LFCSP-5X5X0.75	ADV7391WBCPZ	310
		-40C to 105C	3 DAC 10-bit HDTV Video Encoder	32-LFCSP-5X5X0.75	ADV7391WBCPZ-RL	311
	ADV7392	-40C to 85C	3 DAC 10-bit HDTV Video Encoder	40-LFCSP-6X6X0.75	ADV7392WBCPZ	312
		-40C to 85C	3 DAC 10-bit HDTV Video Encoder	40-LFCSP-6X6X0.75	ADV7392WBCPZ-REEL	313
	ADV7393	-40C to 85C	3 DAC 10-bit HDTV Video Encoder	40-LFCSP-6X6X0.75	ADV7393WBCPZ	314
		-40C to 85C	3 DAC 10-bit HDTV Video Encoder	40-LFCSP-6X6X0.75	ADV7393WBCPZ-REEL	315
	ADV7401	-40C to 85C	10-bit HD Video Decoder w/OSD & TTX	100-LQFP-14X14X1.4	ADV7401WBSTZ-110	316
ADV7480	-40C to 85C	HDMI/MHL VID Rx	100-CSP_BGA-9X9_MM	ADV7480WBBCZ	317	
	-40C to 85C	HDMI/MHL VID Rx	100-CSP_BGA-9X9_MM	ADV7480WBBCZ-RL	318	
ADV7481	-40C to 85C	HDMI/MHL Rx w/ SD Vid Rx	100-CSP_BGA-9X9_MM	ADV7481WBBCZ	319	
	-40C to 85C	HDMI/MHL Rx w/ SD Vid Rx	100-CSP_BGA-9X9_MM	ADV7481WBBCZ-RL	320	

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM	
Audio/Video Products	ADV7482	-40C to 85C	HDMI Rx Plus SD Vid Rx	100-CSP_BGA-9X9_MM	ADV7482WBBCZ	321	
		-40C to 85C	HDMI Rx Plus SD Vid Rx	100-CSP_BGA-9X9_MM	ADV7482WBBCZ-RL	322	
	ADV7511W	-40C to 105C	High-Definition Multimedia Interface	64-LQFP_EP-10X10X1.4	ADV7511WBSVZ	323	
		-40C to 105C	High-Definition Multimedia Interface	64-LQFP_EP-10X10X1.4	ADV7511WBSVZ-RL	324	
	ADV7611	-40C to 85C	1 INPUT LOW POWER HDMI 1.4 RCVR	64-LQFP_EP-10X10X1.4	ADV7611WBSVZ	325	
		-40C to 85C	1 INPUT LOW POWER HDMI 1.4 RCVR	64-LQFP_EP-10X10X1.4	ADV7611WBSVZ-RL	326	
	ADV7612	-40C to 85C	225 MHz HDMI receiver with 2 inputs	100-LQFP_EP-14X14X1.4	ADV7612WBSVZ	327	
	ADV7613	-40C to 85C	HDMI Rx to Dual OLDI Tx	100-CSP_BGA-9X9_MM	ADV7613WBBCZ	328	
		-40C to 85C	HDMI Rx to Dual OLDI Tx	100-CSP_BGA-9X9_MM	ADV7613WBBCZ-P	329	
		-40C to 85C	HDMI Rx to Dual OLDI Tx	100-CSP_BGA-9X9_MM	ADV7613WBBCZ-P-RL	330	
		-40C to 85C	HDMI Rx to Dual OLDI Tx	100-CSP_BGA-9X9_MM	ADV7613WBBCZ-RL	331	
	ADV7680	-40C to 85C	Non HDCP Single input HDMI-RX & Apix-2 T	64-LFCSP-9X9X0.85	ADV7680WBCPZ-P	332	
		-40C to 85C	Non HDCP Single input HDMI-RX & Apix-2 T	64-LFCSP-9X9X0.85	ADV7680WBCPZ-P-RL	333	
		-40C to 85C	Single input- HDMI-RX & APIX-2 TX output	64-LFCSP-9X9X0.85	ADV7680WBCPZ	334	
		-40C to 85C	Single input- HDMI-RX & APIX-2 TX output	64-LFCSP-9X9X0.85	ADV7680WBCPZ-RL	335	
	ADV7682	-40C to 85C	Dual input HDMI-RX & APIX-2 TX output	100-LQFP_EP-14X14X1.4	ADV7682WBSVZ	336	
		-40C to 85C	Dual input HDMI-RX & APIX-2 TX output	100-LQFP_EP-14X14X1.4	ADV7682WBSVZ-RL	337	
		-40C to 85C	Non HDCP Dual input HDMI-RX & Apix-2 TX	100-LQFP_EP-14X14X1.4	ADV7682WBSVZ-P	338	
		-40C to 85C	Non HDCP Dual input HDMI-RX & Apix-2 TX	100-LQFP_EP-14X14X1.4	ADV7682WBSVZ-P-RL	339	
	ADV7782	-40C to 85C	APIX RX plus OLDI Rx to MIPI-CSI Tx	100-CSP_BGA-9X9_MM	ADV7782WBBCZ	340	
		-40C to 85C	APIX RX plus OLDI Rx to MIPI-CSI Tx	100-CSP_BGA-9X9_MM	ADV7782WBBCZ-RL	341	
	Digital to Analog Converters	AD5122	-40C to 125C	128tap, Dual DigiPOT, NVM, SPI	16-TSSOP_4.4-4.4_MM	AD5122WBRUZ10-RL7	342
		AD5141	-40C to 125C	256tap, Single DigiPOT, NVM, SPI/12C	16-LFCSP-3X3X0.75	AD5141WBCPZ10-RL7	343
		AD5142	-40C to 125C	256tap, Dual DigiPOT, NVM, SPI	16-LFCSP-3X3X0.75	AD5142WBCPZ10-RL7	344
			-40C to 125C	256tap, Dual DigiPOT, NVM, SPI	16-TSSOP_4.4-4.4_MM	AD5142WBRUZ10-RL7	345
		AD5162	-40C to 125C	Dual 8-Bit SPI Digital Pot with Low TC	10-MINI_SO-N/A	AD5162WBRMZ100-RL7	346
		AD5220	-40C to 85C	7-BIT RDAC WITH UP/DWN CONTROL	8-SOIC_N-150_MIL	AD5220WBRZ10-REEL7	347
		AD5300	-40C to 105C	8-BIT Vout DAC I.C.	6-SOT_23-N/A	AD5300WBRTZ-RL7	348
		AD5308	-40C to 105C	Octal 8-bit micropower DAC - 2.5V	16-TSSOP_4.4-4.4_MM	AD5308WARUZ-REEL7	349
		AD5310	-40C to 85C	2.7-5V low power, 10-Bit Vout DAC	6-SOT_23-N/A	AD5310WBRTZ-REEL7	350
		AD5312	-40C to 105C	Dual 10-bit serial input DAC	10-MINI_SO-N/A	AD5312WARMZ-REEL7	351
AD5313		-40C to 105C	Dual 10-bit serial input DAC	16-TSSOP_4.4-4.4_MM	AD5313WBRUZ-REEL7	352	
AD5314		-40C to 105C	10-bit quad serial Vout DAC - low power	10-MINI_SO-N/A	AD5314WARMZ-REEL7	353	
AD5453		-40C to 125C	14-bit Serial Iout DAC	8-LFCSP-3X3X0.75	AD5453WBCPZ-RL	354	
AD5662		-40C to 125C	Single 16 Bit 3V/5V With Reference I.C	8-MINI_SO-N/A	AD5662WARMZ-1REEL7	355	
AD7398		-40C to 125C	Quad 12bit DAC Serial In	16-TSSOP_4.4-4.4_MM	AD7398WBRUZ-RL7	356	
AD8403		-40C to 125C	4-channel digital potentiometer (R-DAC)	24-SOIC_W-300_MIL	AD8403WARZ50-REEL	357	
AD9740		-40C to 105C	10 BIT 210 MSPS TxDAC	28-TSSOP_4.4-4.4_MM	AD9740WARUZRL	358	
		-40C to 105C	10 BIT 210 MSPS TxDAC	28-TSSOP_4.4-4.4_MM	AD9740WARUZRL7	359	
ADV7125		-40C to 85C	5V Triple Video DAC, 170MHz	48-LFCSP-7X7X0.85	ADV7125WBCPZ170	360	

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Digital to Analog Converters	ADV7125	-40C to 85C	5V Triple Video DAC, 170MHz	48-LFCSP-7X7X0.85	ADV7125WBCPZ170-RL	361
		-40C to 85C	5V Triple Video DAC, 170MHz	48-LQFP-7X7X1.4	ADV7125WBSTZ170	362
		-40C to 85C	5V Triple Video DAC, 170MHz	48-LQFP-7X7X1.4	ADV7125WBSTZ170-RL	363
Interface & Isolation	ADG3304	-40C to 85C	1.2V - 5.5V, 4-channel BI-DIR TRANS IC	14-TSSOP_4.4-4.4_MM	ADG3304WBRUZ-REEL	364
	ADG5412	-40C to 125C	20V Latchup Proof quad SPST	16-LFCSP-4X4X0.75	ADG5412WBCPZ-REEL7	365
		-40C to 125C	20V Latchup Proof quad SPST	16-TSSOP_4.4-4.4_MM	ADG5412WBRUZ-REEL7	366
	ADM101E	-40C to 85C	SINGLE CHANNEL, 5V RS-232 Tx/Rx	10-MINI_SO-N/A	ADM101EWARMZ-REEL7	367
	ADM3054	-40C to 125C	5kVrms Int Signal + Power ISO CAN Xcvr	16-SOIC_W-300_MIL	ADM3054WBRWZ-RL7	368
	ADM3075E	-40C to 125C	3V 15kV ESD RS-485 HD 500Kbps w/FS, IC	8-SOIC_N-150_MIL	ADM3075EWYRZ	369
		-40C to 125C	3V 15kV ESD RS-485 HD 500Kbps w/FS, IC	8-SOIC_N-150_MIL	ADM3075EWYRZ-RL7	370
	ADM4853	-40C to 85C	10Mbps Half Duplex 5V RS485 Trans. I.C.	8-SOIC_N-150_MIL	ADM4853WARZ-RL7	371
	ADM487E	-40C to 85C	5v 15kV ESD Half Duplex RS-485 Transcive	8-SOIC_N-150_MIL	ADM487EWARZ	372
		-40C to 85C	5v 15kV ESD Half Duplex RS-485 Transcive	8-SOIC_N-150_MIL	ADM487EWARZ-REEL7	373
	ADN4667	-40C to 85C	3V Quad LVDS Differential Driver	16-SOIC_N-150_MIL	ADN4667WARZ-REEL7	374
	ADUM1200	-40C to 125C	3-5.5V DC- 1 Mbit/sec, 2Chnl Dgtl 2Txr,	8-SOIC_N-150_MIL	ADUM1200WSRZ-RL7	375
		-40C to 125C	3-5.5V DC-1 Mbit/sec, 2Chnl Dgtl 2Txr,	8-SOIC_N-150_MIL	ADUM1200WSRZ	376
		-40C to 125C	3-5.5V DC 25Mbit/sc 2Chnl Dgtl 2Txrs0Rx	8-SOIC_N-150_MIL	ADUM1200WURZ	377
		-40C to 125C	3-5.5V DC 25Mbit/sc 2Chnl Dgtl 2Txrs0Rx	8-SOIC_N-150_MIL	ADUM1200WURZ-RL7	378
		-40C to 125C	3-5.5V DC 10Mbit/sc 2Chnl Dgtl 2xr,0Rrx	8-SOIC_N-150_MIL	ADUM1200WTRZ	379
		-40C to 125C	3-5.5V DC10Mbit/sc 2Chnl Dgtl 2xr,0Rrx	8-SOIC_N-150_MIL	ADUM1200WTRZ-RL7	380
	ADUM1201	-40C to 125C	3-5.5V DC 1Mbit/sc 2Chnl Dgtl 1Txr1Rrx	8-SOIC_N-150_MIL	ADUM1201WSRZ	381
		-40C to 125C	3-5.5V DC 1Mbit/sc 2Chnl Dgtl 1Txr1Rrx	8-SOIC_N-150_MIL	ADUM1201WSRZ-RL7	382
		-40C to 125C	3-5.5V DC 10Mbit/sc 2Chnl Dgtl 1Txr1Rrx	8-SOIC_N-150_MIL	ADUM1201WTRZ	383
		-40C to 125C	3-5.5V DC 10Mbit/sc 2Chnl Dgtl 1Txr1Rrx	8-SOIC_N-150_MIL	ADUM1201WTRZ-RL7	384
		-40C to 125C	3-5.5V DC 25Mbit/sc 2Chnl Dgtl 1Txr1Rrx	8-SOIC_N-150_MIL	ADUM1201WURZ	385
		-40C to 125C	3-5.5V DC 25Mbit/sc 2Chnl Dgtl 1Txr1Rrx	8-SOIC_N-150_MIL	ADUM1201WURZ-RL7	386
	ADUM120N	-40C to 125C	2ch EMC robust 3kV digital Isolator,2/0	8-SOIC_N-150_MIL	ADUM120N0WBRZ	387
		-40C to 125C	2ch EMC robust 3kV digital Isolator,2/0	8-SOIC_N-150_MIL	ADUM120N0WBRZ-RL7	388
		-40C to 125C	2ch EMC robust 3kV digital Isolator,2/0	8-SOIC_N-150_MIL	ADUM120N1WBRZ	389
		-40C to 125C	2ch EMC robust 3kV digital Isolator,2/0	8-SOIC_N-150_MIL	ADUM120N1WBRZ-RL7	390
	ADUM121N	-40C to 125C	2ch EMC robust 3kV digital Isolator,1/1	8-SOIC_N-150_MIL	ADUM121N0WBRZ	391
-40C to 125C		2ch EMC robust 3kV digital Isolator,1/1	8-SOIC_N-150_MIL	ADUM121N0WBRZ-RL7	392	
-40C to 125C		2ch EMC robust 3kV digital Isolator,1/1	8-SOIC_N-150_MIL	ADUM121N1WBRZ	393	
-40C to 125C		2ch EMC robust 3kV digital Isolator,1/1	8-SOIC_N-150_MIL	ADUM121N1WBRZ-RL7	394	
ADUM1250	-40C to 125C	I2C isolator, 3V to 5.5V	8-SOIC_N-150_MIL	ADUM1250WSRZ	395	
	-40C to 125C	I2C isolator, 3V to 5.5V	8-SOIC_N-150_MIL	ADUM1250WSRZ-RL7	396	
ADUM1251	-40C to 125C	I2C isolator, 3V to 5.5V	8-SOIC_N-150_MIL	ADUM1251WARZ	397	
	-40C to 125C	I2C isolator, 3V to 5.5V	8-SOIC_N-150_MIL	ADUM1251WARZ-RL7	398	
ADUM1280	-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1280WARZ	399	
	-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1280WARZ-RL7	400	

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Interface & Isolation	ADUM1280	-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1280WBRZ	401
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1280WBRZ-RL7	402
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1280WCRZ	403
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1280WCRZ-RL7	404
	ADUM1281	-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1281WARZ	405
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1281WARZ-RL7	406
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1281WBRZ	407
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1281WBRZ-RL7	408
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1281WCRZ	409
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1281WCRZ-RL7	410
	ADUM1285	-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1285WARZ	411
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1285WARZ-RL7	412
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1285WBRZ	413
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1285WBRZ-RL7	414
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1285WCRZ	415
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1285WCRZ-RL7	416
	ADUM1286	-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1286WARZ	417
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1286WARZ-RL7	418
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1286WBRZ	419
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1286WBRZ-RL7	420
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1286WCRZ	421
		-40C to 125C	Small 3kV DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM1286WCRZ-RL7	422
	ADUM1300	-40C to 125C	3-5.5V DC 1Mbit/sc 3Chnl Dgtl 3Txr0Rxr	16-SOIC_W-300_MIL	ADUM1300WSRWZ-RL	423
		-40C to 125C	3-5.5V DC 1Mbit/sc 3Chnl Dgtl 3Txr0Rxr	16-SOIC_W-300_MIL	ADUM1300WSRWZ	424
		-40C to 125C	3-5.5V DC 10Mbit/sc 3Chnl Dgtl 3Txr0Rxr	16-SOIC_W-300_MIL	ADUM1300WTRWZ	425
		-40C to 125C	3-5.5V DC 10Mbit/sc 3Chnl Dgtl 3Txr0Rxr	16-SOIC_W-300_MIL	ADUM1300WTRWZ-RL	426
	ADUM1301	-40C to 125C	3-5.5V DC 10Mbit/sc 3Chnl Dgtl 2Txr1Rxr	16-SOIC_W-300_MIL	ADUM1301WTRWZ	427
		-40C to 125C	3-5.5V DC 10Mbit/sc 3Chnl Dgtl 2Txr1Rxr	16-SOIC_W-300_MIL	ADUM1301WTRWZ-RL	428
		-40C to 125C	3-5.5V DC 1Mbit/sc 3Chnl Dgtl 2Txr1Rxr	16-SOIC_W-300_MIL	ADUM1301WSRWZ	429
		-40C to 125C	3-5.5V DC 1Mbit/sc 3Chnl Dgtl 2Txr1Rxr	16-SOIC_W-300_MIL	ADUM1301WSRWZ-RL	430
	ADUM1400	-40C to 125C	3-5.5V DC 10Mbit/sc 4Chnl Dgtl 4Txr0Rxr	16-SOIC_W-300_MIL	ADUM1400WTRWZ	431
		-40C to 125C	3-5.5V DC 10Mbit/sc 4Chnl Dgtl 4Txr0Rxr	16-SOIC_W-300_MIL	ADUM1400WTRWZ-RL	432
		-40C to 125C	3-5.5V DC 1Mbit/sc 4Chnl Dgtl 4Txr0Rxr	16-SOIC_W-300_MIL	ADUM1400WSRWZ	433
		-40C to 125C	3-5.5V DC 1Mbit/sc 4Chnl Dgtl 4Txr0Rxr	16-SOIC_W-300_MIL	ADUM1400WSRWZ-RL	434
	ADUM1401	-40C to 125C	3-5.5V DC 10Mbit/sc 4Chnl Dgtl 3Txr1Rxr	16-SOIC_W-300_MIL	ADUM1401WTRWZ	435
		-40C to 125C	3-5.5V DC 1Mbit/sc 4Chnl Dgtl 3Txr1Rxr	16-SOIC_W-300_MIL	ADUM1401WSRWZ	436
		-40C to 125C	3-5.5V DC 1Mbit/sc 4Chnl Dgtl 3Txr1Rxr	16-SOIC_W-300_MIL	ADUM1401WSRWZ-RL	437
		-40C to 125C	ym125V DC 10Mbit/sc 4Chnl Dgtl 3Txr1Rxr	16-SOIC_W-300_MIL	ADUM1401WTRWZ-RL	438
	ADUM1402	-40C to 125C	3-5.5V DC 10Mbit/sc 4Chnl Dgtl 2Txr2Rxr	16-SOIC_W-300_MIL	ADUM1402WTRWZ	439
		-40C to 125C	3-5.5V DC 10Mbit/sc 4Chnl Dgtl 2Txr2Rxr	16-SOIC_W-300_MIL	ADUM1402WTRWZ-RL	440

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Interface & Isolation	ADUM1402	-40C to 125C	3-5.5V DC 1Mbit/sc 4Chnl Dgtl 2Txr2 Rxr	16-SOIC_W-300_MIL	ADUM1402WSRWZ	441
		-40C to 125C	3-5.5V DC 1Mbit/sc 4Chnl Dgtl 2Txr2 Rxr	16-SOIC_W-300_MIL	ADUM1402WSRWZ-RL	442
	ADUM141E	-40C to 125C	IC, Auto Robust Quad ISO, 3:1 ch	16-QSOP-150_MIL	ADUM141E1WBRQZ	443
		-40C to 125C	IC, Auto Robust Quad ISO, 3:1 ch	16-QSOP-150_MIL	ADUM141E1WBRQZ-RL7	444
		-40C to 125C	IC, Robust Quad ISO, 3:1 ch	16-SOIC_W-300_MIL	ADUM141E1WBRWZ	445
		-40C to 125C	IC, Robust Quad ISO, 3:1 ch	16-SOIC_W-300_MIL	ADUM141E1WBRWZ-RL	446
	ADUM142E	-40C to 125C	IC, Robust Quad ISO, 2:2 ch	16-SOIC_W-300_MIL	ADUM142E1WBRWZ	447
		-40C to 125C	IC, Robust Quad ISO, 2:2 ch	16-SOIC_W-300_MIL	ADUM142E1WBRWZ-RL	448
		-40C to 125C	Robust, Quad Channel Isolator W/ Output	16-QSOP-150_MIL	ADUM142E1WBRQZ-RL7	449
		-40C to 125C	Robust,Quad Channel IsolatorW/Output	16-QSOP-150_MIL	ADUM142E1WBRQZ	450
	ADUM2200	-40C to 125C	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2200WARWZ	451
		-40C to 125C	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2200WARWZ-RL	452
		-40C to 125C	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2200WBRWZ	453
		-40C to 125C	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2200WBRWZ-RL	454
	ADUM2201	-40C to 125C	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2201WARWZ	455
		-40C to 125C	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2201WARWZ-RL	456
		-40C to 125C	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2201WBRWZ	457
		-40C to 125C	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2201WBRWZ-RL	458
	ADUM2210	-40C to 125C	DUAL-CH DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2210WSRWZ	459
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2210WSRWZ-RL	460
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2210WTRWZ	461
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2210WTRWZ-RL	462
	ADUM2211	-40C to 125C	DUAL-CH DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2211WSRWZ	463
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2211WSRWZ-RL	464
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2211WTRWZ	465
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2211WTRWZ-RL	466
	ADUM221N	-40C to 125C	IC, Robust Auto Dual ISO, 2:1 Channel	16-SOIC_W-300_MIL	ADUM221N0WBRWZ	467
		-40C to 125C	IC, Robust Auto Dual ISO, 2:1 Channel	16-SOIC_W-300_MIL	ADUM221N0WBRWZ-RL	468
	ADUM2250	-40C to 105C	Hot Swappable Dual I C Isolator, 5kV	16-SOIC_W-300_MIL	ADUM2250WARWZ	469
		-40C to 105C	Hot Swappable Dual I C Isolator,5kV	16-SOIC_W-300_MIL	ADUM2250WARWZ-RL	470
	ADUM2251	-40C to 105C	Hot Swappable Dual I C Isolator,5kV	16-SOIC_W-300_MIL	ADUM2251WARWZ	471
		-40C to 105C	Hot Swappable Dual I C Isolator,5kV	16-SOIC_W-300_MIL	ADUM2251WARWZ-RL	472
	ADUM226N	-40C to 125C	IC, Robust Dual ISO, 2:1 channel	8-SOIC_IC-300_MIL	ADUM226N0WBRIZ	473
		-40C to 125C	IC, Robust Dual ISO, 2:1 channel	8-SOIC_IC-300_MIL	ADUM226N0WBRIZ-RL	474
	ADUM241E	-40C to 125C	IC,Robust Quad ISO 3:1 ch	16-SOIC_W-300_MIL	ADUM241E1WBRWZ	475
		-40C to 125C	IC,Robust Quad ISO 3:1 ch	16-SOIC_W-300_MIL	ADUM241E1WBRWZ-RL	476
	ADUM3160	-40C to 105C	USB Digital Islator, 2.5kV	16-SOIC_W-300_MIL	ADUM3160WBRWZ	477
		-40C to 105C	USB Digital Islator, 2.5kV	16-SOIC_W-300_MIL	ADUM3160WBRWZ-RL	478
	ADUM3190	-40C to 125C	2.5kV High Stability Isolated Error Amp	16-QSOP-150_MIL	ADUM3190WSRQZ	479
		-40C to 125C	2.5kV High Stability Isolated Error Amp	16-QSOP-150_MIL	ADUM3190WSRQZ-RL7	480

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Interface & Isolation	ADUM3190	-40C to 125C	2.5kV High Stability Isolated Error Amp	16-QSOP-150_MIL	ADUM3190WTRQZ	481
		-40C to 125C	2.5kV High Stability Isolated Error Amp	16-QSOP-150_MIL	ADUM3190WTRQZ-RL7	482
	ADUM3200	-40C to 125C	2-Ch 3-5.5V DC-10Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3200WBRZ	483
		-40C to 125C	2-Ch 3-5.5V DC-10Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3200WBRZ-RL7	484
		-40C to 125C	2-Ch 3-5.5V DC-1Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3200WARZ	485
		-40C to 125C	2-Ch 3-5.5V DC-1Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3200WARZ-RL7	486
		-40C to 125C	2-Ch 3-5.5V DC-25Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3200WCRZ	487
		-40C to 125C	2-Ch 3-5.5V DC-25Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3200WCRZ-RL7	488
	ADUM3201	-40C to 125C	2-Ch 3-5.5V DC-10Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3201WBRZ	489
		-40C to 125C	2-Ch 3-5.5V DC-10Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3201WBRZ-RL7	490
		-40C to 125C	2-Ch 3-5.5V DC-1Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3201WARZ-RL7	491
		-40C to 125C	2-Ch 3-5.5V DC-25Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3201WCRZ	492
		-40C to 125C	2-Ch 3-5.5V DC-25Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3201WCRZ-RL7	493
	ADUM3210	-40C to 125C	2Ch 3-5.5V DC-1Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3201WARZ	494
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3210WARZ	495
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3210WARZ-RL7	496
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3210WBRZ	497
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3210WBRZ-RL7	498
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3210WCRZ	499
	ADUM3211	-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3210WCRZ-RL7	500
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3211WARZ	501
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3211WARZ-RL7	502
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3211WBRZ	503
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3211WBRZ-RL7	504
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3211WCRZ	505
	ADUM3220	-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3211WCRZ-RL7	506
		-40C to 125C	4A Gate Drvr 4.1V Nominal UVLO	8-SOIC_N-150_MIL	ADUM3220WARZ	507
		-40C to 125C	4A Gate Drvr 4.1V Nominal UVLO	8-SOIC_N-150_MIL	ADUM3220WARZ-RL7	508
		-40C to 125C	4A Gate Drvr 7V Nominal UVLO	8-SOIC_N-150_MIL	ADUM3220WBRZ	509
	ADUM3221	-40C to 125C	4A Gate Drvr 7V Nominal UVLO	8-SOIC_N-150_MIL	ADUM3220WBRZ-RL7	510
		-40C to 125C	4A Gate Drvr 4.1V Nominal UVLO	8-SOIC_N-150_MIL	ADUM3221WARZ	511
		-40C to 125C	4A Gate Drvr 4.1V Nominal UVLO	8-SOIC_N-150_MIL	ADUM3221WARZ-RL7	512
		-40C to 125C	4A Gate Drvr 7V Nominal UVLO	8-SOIC_N-150_MIL	ADUM3221WBRZ	513
	ADUM3223	-40C to 125C	4A Gate Drvr 7V Nominal UVLO	8-SOIC_N-150_MIL	ADUM3221WBRZ-RL7	514
		-40C to 125C	Isolated Prec Half-Bridge Driver, 4A Out	16-SOIC_N-150_MIL	ADUM3223WARZ	515
		-40C to 125C	Isolated Prec Half-Bridge Driver, 4A Out	16-SOIC_N-150_MIL	ADUM3223WARZ-RL7	516
		-40C to 125C	Isolated Prec Half-Bridge Driver, 4A Out	16-SOIC_N-150_MIL	ADUM3223WBRZ	517
		-40C to 125C	Isolated Prec Half-Bridge Driver, 4A Out	16-SOIC_N-150_MIL	ADUM3223WBRZ-RL7	518
	-40C to 125C	Isolated Prec Half-Bridge Driver, 4A Out	16-SOIC_N-150_MIL	ADUM3223WCRZ	519	
	-40C to 125C	Isolated Prec Half-Bridge Driver, 4A Out	16-SOIC_N-150_MIL	ADUM3223WCRZ-RL7	520	

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Interface & Isolation	ADUM3224	-40C to 125C	3kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_N-150_MIL	ADUM3224WARZ	521
		-40C to 125C	3kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_N-150_MIL	ADUM3224WARZ-RL7	522
		-40C to 125C	3kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_N-150_MIL	ADUM3224WBRZ	523
		-40C to 125C	3kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_N-150_MIL	ADUM3224WBRZ-RL7	524
		-40C to 125C	3kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_N-150_MIL	ADUM3224WCRZ	525
		-40C to 125C	3kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_N-150_MIL	ADUM3224WCRZ-RL7	526
	ADUM3300	-40C to 125C	THREE - CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM3300WBRWZ-RL	527
		-40C to 125C	THREE-CHANNEL DIGITAL ISOLATOR	16-SOIC_W-300_MIL	ADUM3300WARWZ	528
		-40C to 125C	THREE-CHANNEL DIGITAL ISOLATOR	16-SOIC_W-300_MIL	ADUM3300WBRWZ	529
		-40C to 125C	THREE-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM3300WARWZ-RL	530
	ADUM3301	-40C to 125C	THREE-CHANNEL DIGITAL ISOLATOR	16-SOIC_W-300_MIL	ADUM3301WARWZ	531
		-40C to 125C	THREE-CHANNEL DIGITAL ISOLATOR	16-SOIC_W-300_MIL	ADUM3301WBRWZ	532
		-40C to 125C	THREE-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM3301WARWZ-RL	533
		-40C to 125C	THREE-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM3301WBRWZ-RL	534
	ADUM3400	-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2xr	16-SOIC_W-300_MIL	ADUM3400WARWZ	535
		-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2xr	16-SOIC_W-300_MIL	ADUM3400WARWZ-RL	536
		-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2xr	16-SOIC_W-300_MIL	ADUM3400WBRWZ	537
		-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2xr	16-SOIC_W-300_MIL	ADUM3400WBRWZ-RL	538
	ADUM3401	-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2xr	16-SOIC_W-300_MIL	ADUM3401WARWZ	539
		-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2xr	16-SOIC_W-300_MIL	ADUM3401WARWZ-RL	540
		-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2xr	16-SOIC_W-300_MIL	ADUM3401WBRWZ	541
		-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2xr	16-SOIC_W-300_MIL	ADUM3401WBRWZ-RL	542
	ADUM3402	-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2xr	16-SOIC_W-300_MIL	ADUM3402WARWZ	543
		-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2xr	16-SOIC_W-300_MIL	ADUM3402WARWZ-RL	544
		-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2xr	16-SOIC_W-300_MIL	ADUM3402WBRWZ	545
		-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2xr	16-SOIC_W-300_MIL	ADUM3402WBRWZ-RL	546
	ADUM3470	-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3470WARSZ	547
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3470WARSZ-RL7	548
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3470WCRSZ	549
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3470WCRSZ-RL7	550
	ADUM3471	-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3471WARSZ	551
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3471WARSZ-RL7	552
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3471WCRSZ	553
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3471WCRSZ-RL7	554
	ADUM3472	-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3472WARSZ	555
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3472WARSZ-RL7	556
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3472WCRSZ	557
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3472WCRSZ-RL7	558
	ADUM3473	-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3473WARSZ	559
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3473WARSZ-RL7	560

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Interface & Isolation	ADUM3473	-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3473WCRSZ	561
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3473WCRSZ-RL7	562
	ADUM3474	-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3474WARSZ	563
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3474WARSZ-RL7	564
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3474WCRSZ	565
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3474WCRSZ-RL7	566
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3474WCRSZ-RL7	566
	ADUM4223	-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4223WARWZ	567
		-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4223WARWZ-RL	568
		-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4223WBRWZ	569
		-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4223WBRWZ-RL	570
		-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4223WCRWZ	571
		-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4223WCRWZ-RL	572
	ADUM4224	-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4224WARWZ	573
		-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4224WARWZ-RL	574
		-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4224WBRWZ	575
		-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4224WBRWZ-RL	576
		-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4224WCRWZ	577
		-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4224WCRWZ-RL	578
	ADUM4400	-40C to 125C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4400WARWZ	579
		-40C to 125C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4400WARWZ-RL	580
		-40C to 125C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4400WBRWZ	581
		-40C to 125C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4400WBRWZ-RL	582
	ADUM4401	-40C to 105C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4401WARWZ	583
		-40C to 105C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4401WARWZ-RL	584
		-40C to 105C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4401WBRWZ	585
		-40C to 105C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4401WBRWZ-RL	586
	ADUM4402	-40C to 125C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4402WARWZ	587
		-40C to 125C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4402WARWZ-RL	588
		-40C to 125C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4402WBRWZ	589
		-40C to 125C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4402WBRWZ-RL	590
	ADUM5000	-40C to 105C	Isolated DC/DC Converter	16-SOIC_W-300_MIL	ADUM5000WARWZ	591
		-40C to 105C	Isolated DC/DC Converter	16-SOIC_W-300_MIL	ADUM5000WARWZ-RL	592
	ADUM5200	-40C to 105C	2-ChANNEL ISO W/INTEGRATED DC/DC	16-SOIC_W-300_MIL	ADUM5200WCRWZ	593
		-40C to 105C	2-ChANNEL ISO W/INTEGRATED DC/DC	16-SOIC_W-300_MIL	ADUM5200WCRWZ-RL	594
	ADUM5201	-40C to 105C	2-ChANNEL ISO W/INTEGRATED DC/DC	16-SOIC_W-300_MIL	ADUM5201WCRWZ	595
		-40C to 105C	2-ChANNEL ISO W/INTEGRATED DC/DC	16-SOIC_W-300_MIL	ADUM5201WCRWZ-RL	596
	ADUM5202	-40C to 105C	2-ChANNEL ISO W/INTEGRATED DC/DC	16-SOIC_W-300_MIL	ADUM5202WCRWZ	597
		-40C to 105C	2-ChANNEL ISO W/INTEGRATED DC/DC	16-SOIC_W-300_MIL	ADUM5202WCRWZ-RL	598
	ADUM5230	-40C to 105C	Isolated Half-bridge Gate Driver	16-SOIC_W-300_MIL	ADUM5230WARWZ	599
		-40C to 105C	Isolated Half-bridge Gate Driver	16-SOIC_W-300_MIL	ADUM5230WARWZ-RL	600

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Interface & Isolation	ADUM5401	-40C to 105C	4.5-5.5 V DC 10 Mbit/s 4chnl w/iso pwr	16-SOIC_W-300_MIL	ADUM5401WCRWZ-1	601
		-40C to 105C	4.5-5.5 V DC 10 Mbit/s 4chnl w/iso pwr	16-SOIC_W-300_MIL	ADUM5401WCRWZ-1RL	602
	ADUM5402	-40C to 105C	4.5-5.5 V DC 10 Mbit/s 4chnl w/iso pwr	16-SOIC_W-300_MIL	ADUM5402WCRWZ-1	603
		-40C to 105C	4.5-5.5 V DC 10 Mbit/s 4chnl w/iso pwr	16-SOIC_W-300_MIL	ADUM5402WCRWZ-1RL	604
	ADUM5403	-40C to 105C	4.5-5.5 V DC 10 Mbit/s 4chnl w/iso pwr	16-SOIC_W-300_MIL	ADUM5403WCRWZ-1	605
		-40C to 105C	4.5-5.5 V DC 10 Mbit/s 4chnl w/iso pwr	16-SOIC_W-300_MIL	ADUM5403WCRWZ-1RL	606
	LTC6820	-40C to 125C	isoSPI Iso Communications Int	16-MINI_SO-N/A	LTC6820HMS#3ZZPBF	607
		-40C to 125C	isoSPI Iso Communications Int	16-MINI_SO-N/A	LTC6820HMS#3ZZTRPBF	608
		-40C to 85C	isoSPI Iso Communications Int	16-MINI_SO-N/A	LTC6820IMS#3ZZPBF	609
		-40C to 85C	isoSPI Iso Communications Int	16-MINI_SO-N/A	LTC6820IMS#3ZZTRPBF	610
Linear Products	AD1582	-40C to 125C	IC, 2.5V MICROPOWER REF	3-SOT_23_3-N/A	AD1582WBRTZ-R7	611
	AD1583	-40C to 125C	IC, 3V MICROPOWER REF	3-SOT_23_3-N/A	AD1583WBRTZ-R7	612
	AD8465	-40C to 125C	R/R Fst Sngl 2.5V-5.5V Supp, LVDS Comp	12-LFCSP-3X3X0.75	AD8465WBCPZ-R7	613
		-40C to 125C	R/R Fst Sngl 2.5V-5.5V Supp, LVDS Comp	12-LFCSP-3X3X0.75	AD8465WBCPZ-WP	614
	AD8469	-40C to 125C	RRI Single Channel, TTL/CMOS Out COMPTR	8-MINI_SO-N/A	AD8469WBRMZ	615
		-40C to 125C	RRI Single Channel, TTL/CMOS Out COMPTR	8-MINI_SO-N/A	AD8469WBRMZ-RL	616
	ADCMP361	-40C to 125C	Dual Comparator & Reference	5-SOT_23-N/A	ADCMP361WYRJZ-RL7	617
	ADR01	-40C to 125C	+10V PrecisionBandgap REF	8-SOIC_N-150_MIL	ADR01WARZ-R7	618
		-40C to 125C	+10V PrecisionBandgap REF	8-SOIC_N-150_MIL	ADR01WARZ-RL	619
	ADR02	-40C to 125C	5.00V, 0.1%, 10ppm/Deg C	8-SOIC_N-150_MIL	ADR02WARZ-REEL	620
		-40C to 125C	5.00V, 0.1%, 10ppm/Deg C	8-SOIC_N-150_MIL	ADR02WARZ-REEL7	621
	ADR03	-40C to 125C	2.5V PrecisionBandgap REF	8-SOIC_N-150_MIL	ADR03WARZ-R7	622
		-40C to 125C	2.5V PrecisionBandgap REF	8-SOIC_N-150_MIL	ADR03WARZ-RL	623
	ADR06	-40C to 125C	3.0V Reference	8-SOIC_N-150_MIL	ADR06WARZ-R7	624
		-40C to 125C	3.0V Reference	8-SOIC_N-150_MIL	ADR06WARZ-RL	625
	ADR291	-40C to 125C	2.5V Out, 15ppm/degC Max TC, Vltg Ref	8-SOIC_N-150_MIL	ADR291WFRZ-R7	626
		-40C to 125C	2.5V Out, 15ppm/degC Max TC, Vltg Ref	8-SOIC_N-150_MIL	ADR291WFRZ-RL	627
	ADR3512	-40C to 125C	1.2V 4ppm/C 0.60µCMOS V Ref	8-MINI_SO-N/A	ADR3512WCRMZ-R7	628
	ADR3525	-40C to 125C	2.5V CMOS 5ppm/C Voltage REF	8-MINI_SO-N/A	ADR3525WBRMZ-R7	629
		-40C to 125C	2.5V CMOS 8ppm/C Voltage REF	8-MINI_SO-N/A	ADR3525WARMZ-R7	630
	ADR3530	-40C to 125C	3.0V CMOS 5ppm/C Voltage REF	8-MINI_SO-N/A	ADR3530WBRMZ-R7	631
		-40C to 125C	3.0V CMOS 8ppm/C Voltage REF	8-MINI_SO-N/A	ADR3530WARMZ-R7	632
	ADR3533	-40C to 125C	3.3V CMOS 5ppm/C Voltage REF	8-MINI_SO-N/A	ADR3533WBRMZ-R7	633
		-40C to 125C	3.3V CMOS 8ppm/C Voltage REF	8-MINI_SO-N/A	ADR3533WARMZ-R7	634
	ADR3540	-40C to 125C	4.096V CMOS 5ppm/C Voltage REF	8-MINI_SO-N/A	ADR3540WBRMZ-R7	635
		-40C to 125C	4.096V CMOS 8ppm/C Voltage REF	8-MINI_SO-N/A	ADR3540WARMZ-R7	636
	ADR3550	-40C to 125C	5.0V CMOS 5ppm/C Voltage REF	8-MINI_SO-N/A	ADR3550WBRMZ-R7	637
		-40C to 125C	5.0V CMOS 8ppm/C Voltage REF	8-MINI_SO-N/A	ADR3550WARMZ-R7	638
	ADR365	-40C to 125C	5V µPwr REF w/sink/source	5-TSOT-N/A	ADR365WAUJZ-R7	639
	ADR366	-40C to 125C	2.5V Out, 15ppm/degC Max TC, Vltg Ref	5-TSOT-N/A	ADR366WAUJZ-REEL7	640

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Linear Products	ADR392	-40C to 125C	Prec Low Drift+4.096V REF	5-TSOT-N/A	ADR392WBUJZ-R7	641
	ADR5041	-40C to 125C	2.5V Shunt Voltage Ref	3-SOT_23_3-N/A	ADR5041WARTZ-R7	642
		-40C to 125C	2.5V Shunt Voltage Ref	3-SOT_23_3-N/A	ADR5041WBRTZ-R7	643
	ADR5044	-40C to 125C	4.096V hunt Voltage Ref	3-SOT_23_3-N/A	ADR5044WARTZ-R7	644
		-40C to 125C	4.096V Shunt Voltage Ref	3-SOT_23_3-N/A	ADR5044WBRTZ-R7	645
ADR512	-40C to 85C	+1.2V Shunt REF	3-SOT_23_3-N/A	ADR512WARTZ-R7	646	
MEMS	ADXC1501	-40C to 105C	Yaw/3-axis Accel Combo	16-SOIC_CAV-300_MIL	ADXC1501AWBRGZ-RL	647
	ADXL151	-40C to 125C	PSI5 Satellite Sensor X-Axis Accel	12-LFCSP_SS-4X4X1.45	ADXL151WBSCSZ-RL	648
	ADXL185B	-40C to 125C	PSI-5 Z Axis Satellite Sensor	16-SOIC_N_EP-150_MIL	ADXL185BWB RDZUP-RL	649
	ADXL189B	-40C to 125C	PSI5 x axis Satellite Sensor	16-SOIC_N_EP-150_MIL	ADXL189BWB RDZUP-RL	650
	ADXL288	-40C to 105C	120g, Digital Output two-axis Accel	16-SOIC_N_EP-150_MIL	ADXL288WB RDZ-RL	651
	ADXL295	-40C to 105C	120g, Digital Output two-axis Accel w/HF	16-SOIC_N_EP-150_MIL	ADXL295WB RDZ-RL	652
	ADXL312	-40C to 105C	3-axis, 1.5-12g accel, Digital Output	32-LFCSP-5X5X1.45	ADXL312WACPZ	653
		-40C to 105C	3-axis, 1.5-12g accel, Digital Output	32-LFCSP-5X5X1.45	ADXL312WACPZ-RL	654
	ADXL313	-40C to 105C	.5-4g Digital Output Three-Axis Accel	32-LFCSP-5X5X1.45	ADXL313WACPZ-RL	655
		-40C to 105C	.5-4g Digital Output Three-Axis Accel	32-LFCSP-5X5X1.45	ADXL313WACPZ-RL7	656
	ADXL316	-40C to 105C	Low G XL Noise Cancellation	12-LFCSP_SS-4X4X1.45	ADXL316WBSCSZ	657
		-40C to 105C	Low G XL Noise Cancellation	12-LFCSP_SS-4X4X1.45	ADXL316WBSCSZ-RL	658
		-40C to 105C	Low G XL Noise Cancellation	12-LFCSP_SS-4X4X1.45	ADXL316WBSCSZ-RL7	659
	ADXL700	-40C to 105C	High Perf 3 Axis Low G ESC	16-SOIC_W-300_MIL	ADXL700WBRWZ	660
		-40C to 105C	High Perf 3 Axis Low G ESC	16-SOIC_W-300_MIL	ADXL700WBRWZ-RL	661
	ADXL701	-40C to 105C	High Perf. ESC Low G XL	16-SOIC_W-300_MIL	ADXL701WBRWZ-UP-RL	662
	ADXRS800	-40C to 105C	300 deg/s digital SPI out gyro, Yaw	16-SOIC_CAV-300_MIL	ADXRS800WBRGZ	663
		-40C to 105C	300 deg/s digital SPI out gyro, Yaw	16-SOIC_CAV-300_MIL	ADXRS800WBRGZ-RL	664
	ADXRS810	-40C to 105C	SPI output gyro vertical pkg +/- 300	16-SOIC_CAV-300_MIL	ADXRS810WBRGZ-RL	665
	ADXRS910	-40C to 105C	Roll Stability Control InPlane Gyroscope	16-SOIC_CAV-300_MIL	ADXRS910WBRGZ-RL	666
Power Management	AD8280	-40C to 105C	Lithium Ion Battery Safety Monitor	48-LQFP-7X7X1.4	AD8280WASTZ	667
		-40C to 105C	Lithium Ion Battery Safety Monitor	48-LQFP-7X7X1.4	AD8280WASTZ-RL	668
	ADM8316	-40C to 125C	WD,MRb,PPb,30msTO,102msWD,3.0V	5-SOT_23-N/A	ADM8316WAY27ARJZR7	669
		-40C to 125C	WD,MRb,PPb,30msTO,102msWD,3.0V	5-SOT_23-N/A	ADM8316WBX30ARJZR7	670
		-40C to 125C	WD,MRb,PPb,30msTO,102msWD,3.0V	5-SOT_23-N/A	ADM8316WDZ30ARJZR7	671
		-40C to 125C	WD,MRb,PPb,30msTO,102msWD,4.63V	5-SOT_23-N/A	ADM8316WBX46ARJZR7	672
		-40C to 125C	WD,MRb,PPb,30msTO,102msWD,4.9V	5-SOT_23-N/A	ADM8316WDW49ARJZR7	673
	ADM8318	-40C to 125C	Supervisory Circuit with Watchdog	5-SOT_23-N/A	ADM8318WCY46ARJZR7	674
	ADM8319	-40C to 125C	Supervisory Circuit with Watchdog	5-SOT_23-N/A	ADM8319WB31ARJZR7	675
	ADM8320	-40C to 125C	Supervisory Circuit with Watchdog	5-SOT_23-N/A	ADM8320WBX3NARJZR7	676
		-40C to 125C	Supervisory Circuit with Watchdog	5-SOT_23-N/A	ADM8320WCY29ARJZR7	677
		-40C to 125C	Supervisory Circuit with Watchdog	5-SOT_23-N/A	ADM8320WCZ29ARJZR7	678
		-40C to 125C	Supervisory Circuit with Watchdog	5-SOT_23-N/A	ADM8320WCZ33ARJZR7	679
ADM8321	-40C to 125C	WD,ODb,PP,200msTO,1.6sWD,3.0V	5-SOT_23-N/A	ADM8321WAW30ARJZR7	680	

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Power Management	ADM8321	-40C to 125C	WD,ODb,PP,200msTO,1.6sWD,4.63V	5-SOT_23-N/A	ADM8321WAY30ARJZR7	681
		-40C to 125C	WD,ODb,PP,200msTO,1.6sWD,4.63V	5-SOT_23-N/A	ADM8321WCY46ARJZR7	682
	ADM8322	-40C to 125C	Supervisory Circuit with Watchdog	5-SOT_23-N/A	ADM8322WB26ARJZRL7	683
		-40C to 125C	Supervisory Circuit with Watchdog	5-SOT_23-N/A	ADM8322WC26ARJZR7	684
		-40C to 125C	Supervisory Circuit with Watchdog	5-SOT_23-N/A	ADM8322WC46ARJZR7	685
		-40C to 125C	Supervisory Circuit with Watchdog	5-SOT_23-N/A	ADM8322WC31ARJZR7	686
		See Datasheet	Supervisory Circuit with Watchdog	5-SOT_23-N/A	ADM8322WC31ARJZR7	686
	ADM8323	-40C to 125C	WWD,MRb,PPb,200msTO,15ms/300msWD,2.93V	5-SOT_23-N/A	ADM8323WCC29ARJZR7	687
		-40C to 125C	WWD,MRb,PPb,200msTO,15ms/300msWD,4.63V	5-SOT_23-N/A	ADM8323WCC46ARJZR7	688
	ADM8324	-40C to 125C	T_rst_min=140ms, T_wd_fast_max=1.5ms, V	5-SOT_23-N/A	ADM8324WCA29ARJZR7	689
		-40C to 125C	T_rst_min=140ms, T_wd_fast_max=1.5ms, V	5-SOT_23-N/A	ADM8324WCA46ARJZR7	690
		-40C to 125C	T_rst_min=1ms, T_wd_fast_max=768ms, Vth	5-SOT_23-N/A	ADM8324WAH29ARJZR7	691
	ADP1046A	-40C to 125C	Advanced DC-DC Digital Controller	32-LFCSP-5X5X0.75	ADP1046AWACPZ-R7	692
	LTC6801	-40C to 125C	Independent Multicell Bat Stack Fault Mo	36-SSOP-5.30_MM	LTC6801HG#3ZZTRPBF	693
		-40C to 85C	Independent Multicell Bat Stack Fault Mo	36-SSOP-5.30_MM	LTC6801IG#3ZZPBF	694
		-40C to 85C	Independent Multicell Bat Stack Fault Mo	36-SSOP-5.30_MM	LTC6801IG#3ZZTRPBF	695
	LTC6802-1	-40C to 85C	Multicell Bat Stack Mon	44-SSOP-5.30_MM	LTC6802IG-1#3ZZPBF	696
		-40C to 85C	Multicell Bat Stack Mon	44-SSOP-5.30_MM	LTC6802IG-1#3ZZTRPBF	697
	LTC6802-2	-40C to 85C	Multicell Addressable Bat Stack Mon	44-SSOP-5.30_MM	LTC6802IG-2#3ZZPBF	698
		-40C to 85C	Multicell Addressable Bat Stack Mon	44-SSOP-5.30_MM	LTC6802IG-2#3ZZTRPBF	699
	LTC6803-1	-40C to 125C	Multicell Bat Stack Mon	44-SSOP-5.30_MM	LTC6803HG-1#3ZZPBF	700
		-40C to 125C	Multicell Bat Stack Mon	44-SSOP-5.30_MM	LTC6803HG-1#3ZZTRPBF	701
		-40C to 125C	Multicell Bat Stack Mon	44-SSOP-5.30_MM	LTC6803HG-3#3ZZPBF	702
		-40C to 125C	Multicell Bat Stack Mon	44-SSOP-5.30_MM	LTC6803HG-3#3ZZTRPBF	703
		-40C to 85C	Multicell Bat Stack Mon	44-SSOP-5.30_MM	LTC6803IG-1#3ZZPBF	704
		-40C to 85C	Multicell Bat Stack Mon	44-SSOP-5.30_MM	LTC6803IG-1#3ZZTRPBF	705
		-40C to 85C	Multicell Bat Stack Mon	44-SSOP-5.30_MM	LTC6803IG-3#3ZZPBF	706
		-40C to 85C	Multicell Bat Stack Mon	44-SSOP-5.30_MM	LTC6803IG-3#3ZZTRPBF	707
		-40C to 85C	Multicell Bat Stack Mon	44-SSOP-5.30_MM	LTC6803IG-3#3ZZTRPBF	707
	LTC6803-2	-40C to 125C	Multicell Bat Stack Mon	44-SSOP-5.30_MM	LTC6803HG-2#3ZZPBF	708
		-40C to 125C	Multicell Bat Stack Mon	44-SSOP-5.30_MM	LTC6803HG-2#3ZZTRPBF	709
		-40C to 125C	Multicell Bat Stack Mon	44-SSOP-5.30_MM	LTC6803HG-4#3ZZPBF	710
		-40C to 125C	Multicell Bat Stack Mon	44-SSOP-5.30_MM	LTC6803HG-4#3ZZTRPBF	711
		-40C to 85C	Multicell Bat Stack Mon	44-SSOP-5.30_MM	LTC6803IG-2#3ZZPBF	712
		-40C to 85C	Multicell Bat Stack Mon	44-SSOP-5.30_MM	LTC6803IG-2#3ZZTRPBF	713
		-40C to 85C	Multicell Bat Stack Mon	44-SSOP-5.30_MM	LTC6803IG-4#3ZZPBF	714
		-40C to 85C	Multicell Bat Stack Mon	44-SSOP-5.30_MM	LTC6803IG-4#3ZZTRPBF	715
		-40C to 85C	Multicell Bat Stack Mon	44-SSOP-5.30_MM	LTC6803IG-4#3ZZTRPBF	715
	LTC6804-1	-40C to 125C	Multicell Bat Mon s	48-SSOP-5.30_MM	LTC6804HG-1#3ZZPBF	716
		-40C to 125C	Multicell Bat Mon s	48-SSOP-5.30_MM	LTC6804HG-1#3ZZTRPBF	717
		-40C to 125C	Multicell Bat Mon s	48-SSOP-5.30_MM	LTC6804HG-2#3ZZPBF	718
		-40C to 125C	Multicell Bat Mon s	48-SSOP-5.30_MM	LTC6804HG-2#3ZZTRPBF	719
		-40C to 85C	Multicell Bat Mon s	48-SSOP-5.30_MM	LTC6804IG-1#3ZZPBF	720

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Power Management	LTC6804-1	-40C to 85C	Multicell Bat Mon s	48-SSOP-5.30_MM	LTC6804IG-1#3ZZTRPBF	721
		-40C to 85C	Multicell Bat Mon s	48-SSOP-5.30_MM	LTC6804IG-2#3ZZPBF	722
		-40C to 85C	Multicell Bat Mon s	48-SSOP-5.30_MM	LTC6804IG-2#3ZZTRPBF	723
	LTC6811-1	-40C to 125C	Multicell Bat Mon s	48-SSOP-5.30_MM	LTC6811HG-1#3ZZPBF	724
		-40C to 125C	Multicell Bat Mon s	48-SSOP-5.30_MM	LTC6811HG-1#3ZZTRPBF	725
		-40C to 125C	Multicell Bat Mon s	48-SSOP-5.30_MM	LTC6811HG-2#3ZZPBF	726
		-40C to 125C	Multicell Bat Mon s	48-SSOP-5.30_MM	LTC6811HG-2#3ZZTRPBF	727
		-40C to 85C	Multicell Bat Mon s	48-SSOP-5.30_MM	LTC6811G-1#3ZZPBF	728
		-40C to 85C	Multicell Bat Mon s	48-SSOP-5.30_MM	LTC6811G-1#3ZZTRPBF	729
		-40C to 85C	Multicell Bat Mon s	48-SSOP-5.30_MM	LTC6811G-2#3ZZPBF	730
Processors & DSP	AD2421W	-40C to 105C	New Single Slave Serial Audio I/F w/ PDM	32-LFCSP_SS-5X5X0.75	AD2421WCCSZ	731
		-40C to 105C	New Single Slave Serial Audio I/F w/ PDM	32-LFCSP_SS-5X5X0.75	AD2421WCCSZ-RL	732
	AD2422W	-40C to 105C	New Single Slave Serial Audio I/F w/ PDM	32-LFCSP_SS-5X5X0.75	AD2422WCCSZ	733
		-40C to 105C	New Single Slave Serial Audio I/F w/ PDM	32-LFCSP_SS-5X5X0.75	AD2422WCCSZ-RL	734
	AD2425W	-40C to 105C	Enhanced A2B Transceiver, Master/Slave	32-LFCSP_SS-5X5X0.75	AD2425WCCSZ	735
		-40C to 105C	New Single Slave Serial Audio I/F w/ PDM	32-LFCSP_SS-5X5X0.75	AD2425WCCSZ-RL	736
	AD2426W	-40C to 105C	New Auto Audio Bus Transceiver w/EMC	32-LFCSP_SS-5X5X0.75	AD2426WCCSZ	737
		-40C to 105C	New Auto Audio Bus Transceiver w/EMC	32-LFCSP_SS-5X5X0.75	AD2426WCCSZ-RL	738
	AD2427W	-40C to 105C	New Auto Audio Bus Transceiver w/EMC	32-LFCSP_SS-5X5X0.75	AD2427WCCSZ	739
		-40C to 105C	New Auto Audio Bus Transceiver w/EMC	32-LFCSP_SS-5X5X0.75	AD2427WCCSZ-RL	740
	AD2428W	-40C to 105C	New Single Slave Serial Audio I/F w/ PDM	32-LFCSP_SS-5X5X0.75	AD2428WCCSZ	741
		-40C to 105C	New Single Slave Serial Audio I/F w/ PDM	32-LFCSP_SS-5X5X0.75	AD2428WCCSZ-RL	742
	ADAU1401A	-40C to 105C	SigmaDSP 28-/56-Bit Audio Processor	48-LQFP-7X7X1.4	ADAU1401AWBSTZ	743
		-40C to 105C	SigmaDSP 28-/56-Bit Audio Processor	48-LQFP-7X7X1.4	ADAU1401AWBSTZ-RL	744
	ADSP-21469W-02	-40C to 85C	SHARC Processor/5 Mbits on Chip Ram	324-CSP_BGA-19X19_MM	AD21469WBBCZ302	745
	ADSP-21477W-02	-40C to 105C	Sharc Processor, 200MHz	100-LQFP_EP-14X14X1.4	AD21477WYSWZ1A02	746
		-40C to 105C	Sharc Processor, 200MHz	88-LFCSP-12X12X0.85	AD21477WYCPZ1A02	747
	ADSP-21478W-02	-40C to 105C	SHARC 266MHz Processor	100-LQFP_EP-14X14X1.4	AD21478WYSWZ2B02	748
		-40C to 105C	SHARC, 266MHz W/3M Bits RAM LOWER POWER	100-LQFP_EP-14X14X1.4	AD21478WYSWZ2A02	749
	ADSP-21479W-02	-40C to 105C	SHARC 200MHz Processor	88-LFCSP-12X12X0.85	AD21479WYCPZ1B02	750
		-40C to 85C	SHARC 200MHz Proc/5Mbits RAM	88-LFCSP-12X12X0.85	AD21479WYCPZ1A02	751
		-40C to 85C	SHARC 266MHz Processor	100-LQFP_EP-14X14X1.4	AD21479WYSWZ2A02	752
	ADSP-21488W-02	-40C to 85C	266 MHz SHARC Audio Processor	100-LQFP_EP-14X14X1.4	AD21488WBSWZ1A02	753
		-40C to 85C	300 MHz SHARC Audio Processor	100-LQFP_EP-14X14X1.4	AD21488WBSWZ2A02	754
		-40C to 85C	SHARC with 3Mb on chip RAM 400MHz	176-LQFP_EP-24X24X1.4	AD21488WBSWZ4B02	755
		-40C to 85C	SharcProcessor,2Mbits Ram, 266MHz,NoROM	176-LQFP_EP-24X24X1.4	AD21488WBSWZ1B02	756
		-40C to 85C	SharcProcessor,2Mbits Ram, 266MHz,NoROM	176-LQFP_EP-24X24X1.4	AD21488WBSWZ2B02	757
	ADSP-21489W-02	-40C to 85C	SHARC with 5 Mb on chip RAM,400MHz	100-LQFP_EP-14X14X1.4	AD21489WBSWZ402	758
-40C to 85C		SHARC with 5 Mb on chip RAM,400MHz	176-LQFP_EP-24X24X1.4	AD21489WBSWZ4B02	759	
-40C to 85C		SHARC with 5 Mb on chip RAM,400MHz RL	100-LQFP_EP-14X14X1.4	AD21489WBSWZ402RL	760	

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Processors & DSP	ADSP-21571W	-40C to 105C	450MHz 2x SHARC	176-LQFP_EP-24X24X1.4	AD21571WCSWZ400	761
		-40C to 105C	500 MHz 2x SHARC	176-LQFP_EP-24X24X1.4	AD21571WCSWZ500	762
	ADSP-21573W	-40C to 105C	2x SHARC, DDR, 450 MHz	400-CSP_BGA-17X17_MM	AD21573WCBCZ400	763
		-40C to 105C	2x SHARC, DDR, 500 MHz	400-CSP_BGA-17X17_MM	AD21573WCBCZ500	764
	ADSP-21583W-10	-40C to 105C	2x3Mb SHARC(no ARM),single DDR,LPC pkgA	349-CSP_BGA-19X19_MM	AD21583WCBCZ4A10	765
	ADSP-21584W-10	-40C to 105C	2xSHARC(no ARM)SingleDDR LPC	349-CSP_BGA-19X19_MM	AD21584WCBCZ5A10	766
		-40C to 105C	ARM, 2xSHARC, DDR	349-CSP_BGA-19X19_MM	AD21584WCBCZ4A10	767
	ADSP-BF512W-02	-40C to 85C	Blackfin 400MHz Processor	168-CSP_BGA-12X12_MM	ADBF512WBBCZ402	768
		-40C to 85C	Blackfin 400MHz Processor	176-LQFP_EP-24X24X1.4	ADBF512WBSWZ402	769
	ADSP-BF518W-02	-40C to 85C	Blackfin 400MHz Processor	168-CSP_BGA-12X12_MM	ADBF518WBBCZ402	770
		-40C to 85C	Blackfin 400MHz Processor	176-LQFP_EP-24X24X1.4	ADBF518WBSWZ402	771
	ADSP-BF525W-02	-40C to 85C	Blackfin 533MHz Processor	208-CSP_BGA-17X17_MM	ADBF525WBBCZ502	772
	ADSP-BF531W-06	-40C to 85C	Blackfin 400MHz Processor	160-CSP_BGA-12X12_MM	ADBF531WBBCZ406	773
		-40C to 85C	Blackfin 400MHz Processor	176-LQFP-24X24X1.4	ADBF531WBSTZ406	774
	ADSP-BF532W-06	-40C to 85C	Blackfin 400MHz Processor	160-CSP_BGA-12X12_MM	ADBF532WBBCZ406	775
		-40C to 85C	Blackfin 400MHz Processor	176-LQFP-24X24X1.4	ADBF532WBSTZ406	776
	ADSP-BF539W-05	-40C to 85C	Blackfin 533MHz, Processor	316-CSP_BGA-17X17_MM	ADBF539WBBCZ505	777
	ADSP-BF549W-04	-40C to 85C	Blackfin 533MHz,Prorsr 2 PPI, USB	400-CSP_BGA-17X17_MM	ADBF549WBBCZ504	778
	ADSP-BF606W-02	-40C to 105C	Blackfin Dual Core 400MHz w/128K SRAM	349-CSP_BGA-19X19_MM	ADBF606WCBCZ402	779
	ADSP-BF607W-02	-40C to 105C	Blackfin Dual Core 500MHz w/256K SRAM	349-CSP_BGA-19X19_MM	ADBF607WCBCZ502	780
	ADSP-BF608W-02	-40C to 105C	Blackfin Dual Core 500MHz w/VGA PVP	349-CSP_BGA-19X19_MM	ADBF608WCBCZ502	781
		-40C to 105C	Blackfin Dual core Proc.w/VGA PVP	349-CSP_BGA-19X19_MM	ADBF608WCBCZ502RL	782
	ADSP-BF609W-02	-40C to 105C	Blackfin Dual Core 500MHz w/HD PVP	349-CSP_BGA-19X19_MM	ADBF609WCBCZ502	783
	ADSP-BF700W-11	-40C to 105C	Blackfin+ w/ 128K L2 SRAM	88-LFCSP-12X12X0.85	ADBF700WCPCZ211	784
	ADSP-BF701W-11	-40C to 105C	BLK+Procw/128KB L2 SRAM&DDR/LPDDR interf	184-CSP_BGA-12X12_MM	ADBF701WCBCZ211	785
	ADSP-BF702W-11	-40C to 105C	BLK+Procw/256ByteSRAM&DDR2/LPDDR interf	88-LFCSP-12X12X0.85	ADBF702WCPCZ311	786
		-40C to 105C	BLK+Procw/256ByteSRAM&DDR2/LPDDR interf	88-LFCSP-12X12X0.85	ADBF702WCPCZ411	787
	ADSP-BF703W-11	-40C to 105C	BLK+Procw/256ByteSRAM&DDR2/LPDDR interf	184-CSP_BGA-12X12_MM	ADBF703WCBCZ311	788
		-40C to 105C	BLK+Procw/256ByteSRAM&DDR2/LPDDR interf	184-CSP_BGA-12X12_MM	ADBF703WCBCZ411	789
	ADSP-BF704W-11	-40C to 105C	Blackfin+ Processor w/ 512KB L2 SRAM	88-LFCSP-12X12X0.85	ADBF704WCPCZ311	790
		-40C to 105C	Blackfin+ Processor w/ 512KB L2 SRAM	88-LFCSP-12X12X0.85	ADBF704WCPCZ411	791
	ADSP-BF705W-11	-40C to 105C	BLK+Procw/512KB L2 SRAM,DDR2/LPDDR inte	184-CSP_BGA-12X12_MM	ADBF705WCBCZ311	792
		-40C to 105C	BLK+Procw/512KB L2 SRAM,DDR2/LPDDR inte	184-CSP_BGA-12X12_MM	ADBF705WCBCZ411	793
	ADSP-BF706W-11	-40C to 105C	Blackfin+Automotive Processorw/1MB L2 SR	88-LFCSP-12X12X0.85	ADBF706WCPCZ311	794
-40C to 105C		Low Power Blackfin+ Embedded Processor w	88-LFCSP-12X12X0.85	ADBF706WCPCZ411	795	
ADSP-BF707W-11	-40C to 105C	BLK+Procw/1MByteL2 SRAM,DDR2/LPDDR interf	184-CSP_BGA-12X12_MM	ADBF707WCBCZ311	796	
	-40C to 105C	BLK+Procw/1MByteL2 SRAM,DDR2/LPDDR interf	184-CSP_BGA-12X12_MM	ADBF707WCBCZ411	797	
ADSP-SC570W	-40C to 105C	ARM, 1x SHARC,450 MHz	176-LQFP_EP-24X24X1.4	ADSC570WCSWZ400	798	
	-40C to 105C	ARM, 1x SHARC,450MHz	176-LQFP_EP-24X24X1.4	ADSC570WCSWZ4200	799	
ADSP-SC571W	-40C to 105C	ARM, 2x SHARC, 500MHz	176-LQFP_EP-24X24X1.4	ADSC571WCSWZ500	800	

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM	
Processors & DSP	ADSP-SC571W	-40C to 105C	ARM, 2x SHARC, 300MHz	176-LQFP_EP-24X24X1.4	ADSC571WCSWZ300	801	
		-40C to 105C	ARM, 2x SHARC, 450MHz	176-LQFP_EP-24X24X1.4	ADSC571WCSWZ400	802	
	ADSP-SC572W	-40C to 105C	0006, 1x SHARC, DDR, 450 MHz	400-CSP_BGA-17X17_MM	ADSC572WCBCZ400	803	
		-40C to 105C	ARM, 1x SHARC, DDR, 450 MHz	400-CSP_BGA-17X17_MM	ADSC572WCBCZ4200	804	
	ADSP-SC573W	-40C to 105C	ARM, 2x SHARC, DDR, BGA PKG, 300 MGz	400-CSP_BGA-17X17_MM	ADSC573WCBCZ300	805	
		-40C to 105C	ARM, 2x SHARC, DDR, BGA PKG, 450 MHz	400-CSP_BGA-17X17_MM	ADSC573WCBCZ400	806	
		-40C to 105C	ARM, 2x SHARC, DDR, BGA PKG, 500 MHz	400-CSP_BGA-17X17_MM	ADSC573WCBCZ500	807	
	ADSP-SC582W-10	-40C to 105C	ARM, 1xSHARC, DDR	349-CSP_BGA-19X19_MM	ADSC582WCBCZ4A10	808	
	ADSP-SC583W-10	-40C to 105C	ARM, 2x3Mb SHARC singleDDR	349-CSP_BGA-19X19_MM	ADSC583WCBCZ3A10	809	
		-40C to 105C	ARM, 2x3Mb SHARC singleDDR	349-CSP_BGA-19X19_MM	ADSC583WCBCZ4A10	810	
	ADSP-SC584W-10	-40C to 105C	ARM, 2xSHARC, DDR, LPC	349-CSP_BGA-19X19_MM	ADSC584WCBCZ5A10	811	
		-40C to 105C	ARM, 2xSHARC, DDR	349-CSP_BGA-19X19_MM	ADSC584WCBCZ4A10	812	
		-40C to 105C	ARM, 2xSHARC, DDR, LPC	349-CSP_BGA-19X19_MM	ADSC584WCBCZ3A10	813	
	ADSP-SC587W-10	-40C to 105C	ARM, 2xSHARC, dual DDR	529-CSP_BGA-19X19_MM	ADSC587WCBCZ4B10	814	
		-40C to 85C	ARM, 2xSHARC, dual DDR	529-CSP_BGA-19X19_MM	ADSC587WBBCZ5B10	815	
	ADUC7039	-40C to 115C	Flash 64k ARM7 Dual 16-Bit ADC LIN I.C.	32-LFCSP-6X6X0.95	ADUC7039WBPCZ	816	
		-40C to 115C	Flash 64k ARM7 Dual 16-Bit ADC LIN I.C.	32-LFCSP-6X6X0.95	ADUC7039WBPCZ-RL	817	
	ADUCM330	-40C to 115C	Battery Monitor Gen III(96KB)	32-LFCSP-6X6X0.95	ADUCM330WDCPZ	818	
		-40C to 115C	Battery Monitor Gen III(96KB)	32-LFCSP-6X6X0.95	ADUCM330WDCPZ-RL	819	
	ADUCM331	-40C to 150C	Battery Monitor GenIII(128KB)	32-LFCSP-6X6X0.95	ADUCM331WDCPZ	820	
		-40C to 150C	Battery Monitor GenIII(128KB)	32-LFCSP-6X6X0.95	ADUCM331WDCPZ-RL	821	
	RF & Microwave	AD5933	-40C to 125C	12bit 1 MSPS, Impedance Converter	16-SSOP-5.30_MM	AD5933WYRSZ-REEL7	822
		AD9833	-40C to 105C	20 mW Programmable Waveform Generator	10-MINI_SO-N/A	AD9833WBRMZ-REEL	823
		ADF4153	-40C to 125C	SINGLE RF F-N PLL	16-TSSOP_4.4-4.4_MM	ADF4153WYRUZ-RL7	824
ADF4158		-40C to 125C	6 GHz Direct Modulation frac-N PLL Synth	24-LFCSP-4X4X0.75	ADF4158WCCPZ-RL7	825	
		-40C to 125C	6 GHz Direct Modulation frac-N PLL	24-LFCSP-4X4X0.75	ADF4158WCCPZ	826	
ADF4159		-40C to 125C	13GHz Fast Ramp Direct Mod Frac N PLL	24-LFCSP-4X4X0.75	ADF4159WCCPZ	827	
		-40C to 125C	13GHz Fast Ramp Direct Mod Frac N PLL	24-LFCSP-4X4X0.75	ADF4159WCCPZ-RL7	828	
ADF4169		-40C to 125C	13.5GHz Fast Ramp Direct Mod Frac-N PLL	24-LFCSP-4X4X0.75	ADF4169WCCPZ	829	
		-40C to 125C	13.5GHz Fast Ramp Direct Mod Frac-N PLL	24-LFCSP-4X4X0.75	ADF4169WCCPZ-RL7	830	
ADF4193		-40C to 105C	Fast Settling PLL Synthesizer	32-LFCSP-5X5X0.75	ADF4193WCCPZ-RL7	831	
ADF5901		-40C to 105C	24GHz Tx MMIC: VCO_PGA+ dual PA	32-LFCSP-5X5X0.75	ADF5901WCCPZ	832	
		-40C to 105C	24GHz Tx MMIC: VCO_PGA+ dual PA	32-LFCSP-5X5X0.75	ADF5901WCCPZ-RL7	833	
ADF5904		-40C to 105C	24GHz 4 Channel Rx non-IQ MMIC	32-LFCSP-5X5X0.75	ADF5904WCCPZ	834	
		-40C to 105C	24GHz 4 Channel Rx non-IQ MMIC	32-LFCSP-5X5X0.75	ADF5904WCCPZ-RL7	835	
HMC8038		-40C to 105C	High isolation, non-reflective	16-LFCSP-4X4X0.85	HMC8038WLP4CE	836	
		-40C to 105C	High isolation, non-reflective	16-LFCSP-4X4X0.85	HMC8038WLP4CETR	837	
Sensors	ADA4571	-40C to 150C	AMR Angle Sensor and Sig Cond	8-SOIC_N-150_MIL	ADA4571WHRZ-R7	838	
	ADA4571-2	-40C to 150C	Dual AMR MAGNETIC SENSOR	16-SOIC_N-150_MIL	ADA4571-2WHRZ-RL	839	
	ADR4525	-40C to 125C	2.5V Ultra Low Noise Voltage REF	8-SOIC_N-150_MIL	ADR4525WBRZ-R7	840	

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Switches & Multiplexers	ADG1411	-40C to 125C	+/-15V Quad SPST with Ron max = 2 Ohm	16-LFCSP-4X4X0.75	ADG1411WBCPZ-REEL	841
	ADG2128	-40C to 85C	5V/+12V CMOS 8 X 12 Analog Switch Array	32-LFCSP-5X5X0.75	ADG2128WBCPZ-REEL7	842
	ADG5433	-40C to 125C	High V Latchup Proof Triple SPDT Switch	16-TSSOP_4.4-4.4_MM	ADG5433WBRUZ	843
	ADG612	-40C to 125C	+5V/+3V Quad SPST Switch,Low 1pC Qinj	16-TSSOP_4.4-4.4_MM	ADG612WYRUZ-REEL	844
	ADG669	-40C to 125C	+3/5V +/-5V 4/8 Chnl Analog Mux	16-TSSOP_4.4-4.4_MM	ADG669WYRUZ-REEL7	845
	ADG708	-40C to 105C	1.8-5.5V or +/-2.5V, 3 Ohm 4/8 Mux	16-TSSOP_4.4-4.4_MM	ADW54008-0REEL	846
		-40C to 105C	1.8-5.5V or +/-2.5V, 3 Ohm 4/8 Mux	16-TSSOP_4.4-4.4_MM	ADW54008-0REEL7	847
	ADG711	-40C to 85C	Low Voltage Quad SPST Switch	16-TSSOP_4.4-4.4_MM	ADG711WBRUZ-REEL	848
	ADG728	-40C to 85C	SERIAL I2C, 8-ch MUX	16-TSSOP_4.4-4.4_MM	ADG728WBRUZ-REEL7	849
	ADG736	-40C to 125C	LOW VOLTAGE DUAL SPDT I.C.	10-MINI_SO-N/A	ADW54010Z-0REEL	850
	ADG738	-40C to 105C	SERIAL SPI, 8-ch MUX	16-TSSOP_4.4-4.4_MM	ADG738WBRUZ-REEL	851
	ADG786	-40C to 85C	Triple SPDT Switch	20-LFCSP-4X4X0.75	ADG786WBCPZ-REEL7	852