



## Product/Process Change Notice - PCN 16\_0101 Rev. -

Analog Devices, Inc. Three Technology Way Norwood, Massachusetts 02062-9106

This notice is to inform you of a change that will be made to certain ADI products (see Appendix A) that you may have purchased in the last 2 years. **Any inquiries or requests with this PCN (additional data or samples) must be sent to ADI within 30 days of publication date.** ADI contact information is listed below.

**PCN Title:** HMC951B Data Sheet Correction  
**Publication Date:** 28-Jun-2016  
**Effectivity Date:** 28-Jun-2016 *(the earliest date that a customer could expect to receive changed material)*

### Revision Description:

Initial Release

### Description Of Change

VDD Absolute Maximum Rating has been changed from 5.5V to 4.5V.

### Reason For Change

The maximum limit was not accurately specified since release.  
The product data sheet has been updated to accurately reflect the HMC951B.

### Impact of the change (positive or negative) on fit, form, function & reliability

There is no change in the product design or operation of the device therefore there will be no impact on the fit, form, function and reliability of the device.

### Summary of Supporting Information

Change has been implemented in Rev v02.0416 of the HMC951B data sheet

**Supporting Documents**      None

**For questions on this PCN, please send an email to the regional contacts below or contact your local ADI sales representatives.**

<b>Americas:</b> PCN_Americas@analog.com	<b>Europe:</b> PCN_Europe@analog.com	<b>Japan:</b> PCN_Japan@analog.com
		<b>Rest of Asia:</b> PCN_ROA@analog.com

**Appendix A - Affected ADI Models**

**Added Parts On This Revision - Product Family / Model Number (2)**

HMC951B / HMC951BLP4E

HMC951B / HMC951BLP4ETR

**Appendix B - Revision History**

<b>Rev</b>	<b>Publish Date</b>	<b>Effectivity Date</b>	<b>Rev Description</b>
Rev. -	28-Jun-2016	28-Jun-2016	Initial Release

Analog Devices, Inc.

DocId:3699 Parent DocId:3558 Layout Rev:7