



Product/Process Change Notice - PCN 23_0160 Rev. -

Analog Devices, Inc. One Analog Way, Wilmington, MA 01887, USA

This notice is to inform you of a change that will be made to certain ADI products (see Appendix A) that you may have purchased in the last 2 years. **Any inquiries or requests with this PCN (additional data or samples) must be sent to ADI within 30 days of publication date.** ADI contact information is listed below.

PCN Title:	LTM4668A/LTM4668 Data Sheet Revision
Publication Date:	12-Sep-2023
Effectivity Date:	12-Sep-2023 <i>(the earliest date that a customer could expect to receive changed material)</i>
Revision Description:	Initial Release.

Description Of Change:

Electrical Characteristics:

To Match PGOOD and RUN Threshold Range on Pages 3 and 4.

LTM4668A: PGOOD = from Min: -11% Max:11% to Min: -12% Max:12%.

Run Threshold Range = from Min:0.55V to Min:0.35V.

LTM4668: PGOOD = from Min: -11% Max:11% to Min: -12% Max:12%.

Reason For Change:

The data sheet is being updated to accurately reflect the production data and device capabilities.

Impact of the change (positive or negative) on fit, form, function & reliability:

To improve the productivity and manufacturability.

Summary of Supporting Information:

Changes to this product datasheet will be referenced in the new Revision D.

Supporting Documents

Attachment 1: Type:

[ADI_PCN_23_0160_Rev - Datasheet Markup_LTM4668_A.pdf...](#)

Note: If applicable, the device material declaration will be updated due to material change.

ADI Contact Information:

For questions on this PCN, please send an email to the regional contacts below or contact your local ADI sales representatives.

Americas:	Europe:	Japan:	Rest of Asia:
PCN_Americas@analog.com	PCN_Europe@analog.com	PCN_Japan@analog.com	PCN_ROA@analog.com

Appendix A - Affected ADI Models:

Added Parts On This Revision - Product Family / Model Number (4)

LTM4668 / LTM4668EY#PBF

LTM4668 / LTM4668IY#PBF

LTM4668A / LTM4668AEY#PBF

LTM4668A / LTM4668AIY#PBF

Appendix B - Revision History:

Rev	Publish Date	Effectivity Date	Rev Description
Rev. -	12-Sep-2023	12-Sep-2023	Initial Release.