



Update Data Sheet Regulatory Information for Select Isolated ADC Products

ADuM7701 - 16-Bit, Isolated Sigma-Delta Modulator

Change Description	Changed From:	Changed To:
<p>Regulatory Information section updated to correctly align the following ratings to agency issued certified ratings:</p> <p>IEC / CSA 60601-1 Reinforced Insulation (2 MOPP) ratings specified in Table 6</p>	<p>RW-16</p> <p>IEC / CSA 60601-1 Reinforced insulation, (2 MOPP), 250 Vrms</p> <p>Datasheet Rev. 0</p>	<p>RW-16</p> <p>IEC / CSA 60601-1 Reinforced insulation, (2 MOPP), 237.5 Vrms</p> <p>Datasheet Rev. A</p>

ADuM7702 - 16-Bit, Isolated Sigma-Delta Modulator

Change Description	Changed From:	Changed To:
<p>Regulatory Information section updated to correctly align the following ratings to agency issued certified ratings:</p> <p>IEC / CSA 60601-1 Reinforced Insulation (2 MOPP) ratings specified in Table 5</p>	<p>RW-16</p> <p>IEC / CSA 60601-1 Reinforced insulation, (2 MOPP), 261 Vrms</p> <p>Datasheet Rev. 0</p>	<p>RW-16</p> <p>IEC / CSA 60601-1 Reinforced insulation, (2 MOPP), 237.5 Vrms</p> <p>Datasheet Rev. A</p>

ADuM7703 - 16-Bit, Isolated, Sigma-Delta ADC

Change Description	Changed From:	Changed To:
<p>Regulatory Information section updated to correctly align the following ratings to agency issued certified ratings:</p> <p>IEC / CSA 60601-1 Reinforced Insulation (2 MOPP) ratings specified in Table 5</p>	<p>RW-16</p> <p>IEC / CSA 60601-1 Reinforced insulation, (2 MOPP), 250 Vrms</p> <p>Datasheet Rev. A</p>	<p>RW-16</p> <p>IEC / CSA 60601-1 Reinforced insulation, (2 MOPP), 237.5 Vrms</p> <p>Datasheet Rev. B</p>

ADuM7704 - 16-Bit, Isolated, Sigma-Delta Modulator

Change Description	Changed From:	Changed To:
<p>Regulatory Information section updated to correctly align the following ratings to agency issued certified ratings:</p> <p>IEC / CSA 60601-1 Reinforced Insulation (2 MOPP) ratings specified in Table 5</p>	<p>RW-16</p> <p>IEC / CSA 60601-1 Reinforced insulation, (2 MOPP), 261 Vrms</p> <p>Datasheet Rev. 0</p>	<p>RW-16</p> <p>IEC / CSA 60601-1 Reinforced insulation, (2 MOPP), 237.5 Vrms</p> <p>Datasheet Rev. A</p>