



Product/Process Change Notice - PCN 26_0090 Rev. -

Analog Devices, Inc. One Analog Way, Wilmington, MA 01887, USA

This notice is to inform you of a change that will be made to certain ADI products (see Appendix A) that you may have purchased in the last 2 years. An acceptance or concern response should be submitted to ADI promptly. Any requests for samples of changed material or additional information must be made within 30 days of the notification. In accordance with JEDEC Standard 046, customers should acknowledge receipt of the PCN within 30 days of the PCN delivery. ADI contact information is listed below. Note: Revised fields are indicated by a red field name. See Appendix B for revision history.

Lack of acknowledgment of the PCN within 30 days constitutes acceptance of the change. After the acknowledgment, a lack of additional requests within 90 days constitutes acceptance of the change.

PCN Title:	ADR440/ADR441/ADR443/ADR444/ADR445 Data Sheet Limit Revision
Publication Date:	07-Apr-2026
Effectivity Date:	10-Jul-2026 <i>(the earliest date that a customer could expect to receive changed material)</i>
Revision Description:	Initial Release.

Description Of Change:

- ADR441 - Electrical Characteristics (Table 3 of data sheet):
TEMPERATURE DRIFT, B Grade -40°C < TA < +125°C, changed from Max limit of 3ppm/Deg C to 5ppm/Deg C.
- ADR443 - Electrical Characteristics (Table 4 of data sheet):
TEMPERATURE DRIFT, B Grade -40°C < TA < +125°C, changed from Max limit of 3ppm/Deg C to 5ppm/Deg C.
- ADR444- Electrical Characteristics (Table 5 of data sheet):
TEMPERATURE DRIFT, B Grade -40°C < TA < +125°C, changed from Max limit of 3ppm/Deg C to 5ppm/Deg C.

Reason For Change:

Analog Devices has made a change to the product data sheet to facilitate improvement in manufacturing capability.

Impact of the change (positive or negative) on fit, form, function & reliability:

This data sheet change does not impact the fit, form, function, or reliability.

Product Identification: *(this section will describe how to identify the changed material)*

Products shipped after the effectivity date will be tested to the new limits and can be identified by date code and lot traceability information.

Summary of Supporting Information:

These changes will be incorporated into the updated Product Data Sheet, Revision H.

Supporting Documents:

Attachment 1: Type: Datasheet Specification Comparison

ADI_PCN_26_0090_Rev_-_ADR441_ADR443_ADR444_Data Sheet Comparison.pdf

Note: If applicable, the device material declaration will be updated due to material change.

ADI Contact Information:

For questions on this PCN, please send an email to the regional contacts below or contact your local ADI sales representatives.

Americas:	Europe:	Japan:	Korea:	Rest of Asia:
PCN_Americas@analog.com	PCN_Europe@analog.com	PCN_Japan@analog.com	PCN_Korea@analog.com	PCN_ROA@analog.com

Appendix A - Affected ADI Models:

Added Parts On This Revision - Product Family / Model Number (6)

ADR441 / ADR441BRZ

ADR441 / ADR441BRZ-REEL7

ADR443 / ADR443BRZ

ADR443 / ADR443BRZ-REEL7

ADR444 / ADR444BRZ

ADR444 / ADR444BRZ-REEL7

Appendix B - Revision History:

Rev	Publish Date	Effectivity Date	Rev Description
Rev. -	07-Apr-2026	10-Jul-2026	Initial Release.