



Product/Process Change Notice - PCN 26_0114 Rev. -

Analog Devices, Inc. One Analog Way, Wilmington, MA 01887, USA

This notice is to inform you of a change that will be made to certain ADI products (see Appendix A) that you may have purchased in the last 2 years. An acceptance or concern response should be submitted to ADI promptly. Any requests for samples of changed material or additional information must be made within 30 days of the notification. In accordance with JEDEC Standard 046, customers should acknowledge receipt of the PCN within 30 days of the PCN delivery. ADI contact information is listed below. Note: Revised fields are indicated by a red field name. See Appendix B for revision history.

Lack of acknowledgment of the PCN within 30 days constitutes acceptance of the change. After the acknowledgment, a lack of additional requests within 90 days constitutes acceptance of the change.

PCN Title:	LTP8803-1A Data Sheet Revision
Publication Date:	06-May-2026
Effectivity Date:	06-May-2026 <i>(the earliest date that a customer could expect to receive changed material)</i>
Revision Description:	Initial Release.

Description Of Change:

1. Previously, output current telemetry (PMBus READ_IOUT command) was specified with typical limits only for 0A to 160A. READ_IOUT accuracy will now be specified separately for two ranges, 0A to 80A and 80A to 160A. Each range will include typical limits and limits guaranteed over the rated temperature range, 0degC to 125degC.
2. The description of SYNC Pin in Pin Functions has been updated to note when unused, it is also acceptable to ground the SYNC pin through a resistor of value not exceeding 10k, provided that the limits on the EC table are observed.

Reason For Change:

1. To reflect improvements in the ATE trimming process based on quality enhancement initiatives.
2. To align the design with the current product configuration deployed in the field.

Impact of the change (positive or negative) on fit, form, function & reliability:

There is no anticipated impact on fit, form, function, or reliability.

Summary of Supporting Information:

Changes will be reflected in Product Data Sheet Rev C.

Supporting Documents:

Attachment 1: Type: Datasheet Specification Comparison

ADI_PCN_26_0114_Rev_-_LTP8803-1A Data Sheet Comparison.pdf

Note: If applicable, the device material declaration will be updated due to material change.

ADI Contact Information:

For questions on this PCN, please send an email to the regional contacts below or contact your local ADI sales representatives.

Americas:	Europe:	Japan:	Korea:	Rest of Asia:
PCN_Americas@analog.com	PCN_Europe@analog.com	PCN_Japan@analog.com	PCN_Korea@analog.com	PCN_ROA@analog.com

Appendix A - Affected ADI Models:

Added Parts On This Revision - Product Family / Model Number (1)

LTP8803-1A / LTP8803-1AIPV#PBF

Appendix B - Revision History:

Rev	Publish Date	Effectivity Date	Rev Description
Rev. -	06-May-2026	06-May-2026	Initial Release.