


TOP SILKSCREEN

REVISION HISTORY

ECO	REV	DESCRIPTION	APPROVAL	DATE
	1	PRODUCTION	ANDY M.	05/20/10

NOTES: UNLESS OTHERWISE SPECIFIED,

1. WORKMANSHIP SHALL BE IN ACCORDANCE WITH IPC-A-610.
2. ASSEMBLY PROCESS SHALL INCLUDE: REFLOW SOLDER TOP SIDE SMD.
3. PARTS TO OMIT WILL BE SPECIFIED ON THE BILL OF MATERIALS. LOCATIONS OF OMITTED PARTS SHALL BE FREE OF SOLDER.
MASK THE SOLDER STENCIL WHERE SMT PARTS ARE OMITTED.
4. INSTALL SHUNTS AS SHOWN ON ASSY DRAWING.
5. DEPANELIZE BOARDS AFTER ASSEMBLY AND ROUTE-OUT THE BREAKOUT TABS ON FOUR SIDES OF THE BOARD EDGE.
6. DO NOT APPLY ANY KIND OF ASSEMBLY STAMP OR QA STAMP TO ANY BOARD.
7. INSTALL J1,J2 AS SHOWN.



APPROVALS

PCB DES.	MI
APP. ENG.	ANDY M.

SCALE: NONE



1630 MCCARTHY BLVD
MILPITAS, CA 95035
PH: (408)432-1900
www.linear.com
LTC CONFIDENTIAL-
FOR CUSTOMER USE ONLY

TITLE: TOP ASSEMBLY DRAWING,
DUAL 6GHz RMS POWER DETECTOR

SIZE N/A	IC NO LTC5583IUF DEMO CIRCUIT 1599A	REV 2
-------------	---	----------

FILENAME: 1599A-2.PCB

SHT 1 of 2