


TOP SILKSCREEN



REVISION HISTORY

ECO	REV	DESCRIPTION	APPROVAL	DATE
	2	PRODUCTION	GEORGE Q.	02/16/11

NOTES: UNLESS OTHERWISE SPECIFIED,

1. WORKMANSHIP SHALL BE IN ACCORDANCE WITH IPC-A-610.
2. ASSEMBLY PROCESS SHALL INCLUDE: REFLOW SOLDER TOP SIDE SMD.
3. PARTS TO OMIT WILL BE SPECIFIED ON THE BILLS OF MATERIAL. LOCATIONS OF OMITTED PARTS SHALL BE FREE OF SOLDER MASK THE SOLDER STENCIL WHERE SMT PARTS ARE OMITTED.
4. INSTALL SHUNTS AS SHOWN ON ASSY DRAWING.
5. DEPANELIZE BOARDS AFTER ASSEMBLY AND ROUTE-OUT THE BREAKOUT TABS ON FOUR SIDES OF THE BOARD EDGE.
6. DO NOT APPLY ANY KIND OF ASSEMBLY STAMP OR QA STAMP TO ANY BOARD.

☐ 7 INSTALL TURRETS AS SHOWN.

APPROVALS

PCB DES.	MI
APP. ENG.	GEORGE Q.
SCALE: NONE	



TITLE: TOP ASSEMBLY DRAWING,
ISOLATED LED DRIVER WITH PFC

SIZE	IC NO.	REV
N/A	LT3799EMSE	2
	DEMO CIRCUIT 1744A	

FILENAME: 1744A-2.PCB SHT 1 of 2