



TOP SILKSCREEN
 LINEAR TECHNOLOGY
 DC798B * LTC2480EDD
 16-BIT DIFFERENTIAL ADC
 DATE: 05-09-05

REVISIONS			
REV	DESCRIPTION	APPR	DATE
B	PROTOTYPE RELEASE		

NOTES: UNLESS OTHERWISE SPECIFIED

1. WORKMANSHIP SHALL BE IN ACCORDANCE WITH IPC-A-610.
2. INSTALL SHUNTS ON JP1 PIN 1 AND 2.
3. PARTS TO OMIT WILL BE SPECIFIED ON THE BILL OF MATERIALS. LOCATIONS OF OMITTED PARTS SHALL BE FREE OF SOLDER. MASK THE SOLDER STENCIL WHERE SMT PARTS ARE OMITTED.
4. DEPANELIZE BOARDS AFTER ASSEMBLY AND ROUTE-OUT THE BREAKOUT TABS ON FOUR SIDES OF THE BOARD EDGE.
5. ASSY PROCESSES SHALL INCLUDE: REFLOW SOLDER TOP SIDE SMD.

APPROVALS

	INIT	DATE
DRAWN		
CHECK		
DESIGN	KIM T.	05-09-05
ENGR	MARK T.	05-09-05

SCALE = NONE



LINEAR
 TECHNOLOGY

1630 MCCATHY BLVD
 MILPITAS, CA 95035
 PH: (408)432-1900
 LTC CONFIDENTIAL-
 FOR CUSTOMER USE ONLY

TITLE: TOP ASSEMBLY DRAWING

16-BIT DIFFERENTIAL ADC

SIZE A	DEMO DC798B * LTC2480EDD	REV. B
-----------	-----------------------------	-----------

DES- 0000

SHT 1 of 1