



REVISION HISTORY

ECO	REV	DESCRIPTION	DATE	APPROVED



LAYER CONSTRUCTION

NOTES: UNLESS OTHERWISE SPECIFIED,

- ARTWORK P/N DC818A REV 2.
- FAB PER IPC-A-600
- MATERIAL: EPOXY FIBERGLASS, NEMA GRADE FR-4 .062 +/- .005 INCH THICKNESS WITH 2 OZ. COPPER FINISH ON TWO OUTER LAYERS AND 1 OZ. COPPER ON TWO INTERNAL LAYERS. FLAMABILITY RATING: 94 V-2 MINIMUM .
- SIZE: CUT TO DIMENSIONS AND TOLERANCES SHOWN. 0.00 ARE PRIMARY DATUMS.
- BOARD: SELECTIVE PLATED BOARD. SOLDER MASK OVER BARE COPPER, COLOR, GREEN LPL. WHITE TIN IMMERSION (OMIKRON) BOTH SIDES. SILKSCREEN COMPONENT SIDE WITH BRIGHT YELLOW NON-CONDUCTIVE INK. PLATE THRU ALL HOLES WITH COPPER MIN. PLATING THICKNESS: 1 OZ. EXCEPT WHERE PLATING NOT REQUIRED
- DRILL: ALL HOLES SHALL BE DRILLED +/- .003 INCH WITH RESPECT TO CTR. OF DRILLED PAD. ALL HOLES FINISHED SIZE AFTER PLATING.
- DROP ALL UNUSED PADS ON INNER LAYERS.
- DO NOT ALTER ARTWORK e.g. TO ADD LOGO OR DATE CODE.

SIZE	QTY	SYM	PLTD	TOL
10	24	X	YES	+/-0.003
32	16	◇	YES	+/-0.003
64	4	⊗	YES	+/-0.005
70	2	⊗	NO	+/-0.005
95	14	⊕	YES	+/-0.01
187	4	⊕	NO	+/-0.01

COMPONENT SIDE SHOWN

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ON ANGLE ± P
2 PLACE ± .01 3 PLACE ± .005
INTERPRET DIM AND TOL
PER ASME Y14.5M - 1994

THIRD ANGLE PROJECTION



DO NOT SCALE DRAWING

CONTRACT NO

APPROVALS

DRAWN	MEI	DATE
CHECKED		09/20/04
APPROVED		
ENGINEER		



1630 McCarthy Blvd.
Milpitas, CA 95035
Phone: (408)432-1900
Fax: (408)434-0507

TITLE

FAB, LTC2924CCG, FOUR POWER RAILS/
POWER SUPPLY SEQUENCER

SIZE	CAGE CODE	DWG NO	REV
A		DC818A	2
SCALE	1/1	FILENAME: 818A-2.PCB	SHEET 1 OF 1