



NOTES (UNLESS OTHERWISE SPECIFIED):

- 1. ASSEMBLE AND INSPECT IN ACCORDANCE WITH IPC STANDARD IPC-H-610D CLASS 2.
- 2. MAXIMUM PROTRUSION OF THE MOUSE BITES IS +0.010".
- 3. FINISHED ASSEMBLY TO BE FREE OF ALL SOLDER FLUX RESIDUES.
- 4. FINISHED ASSEMBLY TO BE SHIPPED IN APPROVED ANTI-STATIC PACKAGING.
- 5. ALL PROCEDURES REQUIRE ROHS-6. NO CLEAN SOLDER.

R E V I S I O N S				
ECO	REV	DESCRIPTION	DATE	APPROVED
1392	1	INITIAL RELEASE	6-16-14	



SEE SEPARATE BOM, 700-0237-0001

		UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES:	APPROVALS	DATE	DUST NETWORKS		
		TOLERANCES ARE:	DRAWN BY: R.P.D.	6-16-16	TITLE: PCA ASSY, INTERFACE_PROGRAMMING_ADAPTER		
		FRACTIONS: DECIMALS:	CHECKED				
		ANGLES: 0° 30" .XXX ± .005	ENGRG				
NEXT ASSY	USED ON	MATERIAL -	ISSUED		B	FSCM NO.	DWG NO.
		FINISH -	CONTRACT NO.			705-0237-0001	REV. 1
APPLICATION		DO NOT SCALE DRAWING			SCALE: NONE		SHEET 1 OF 1