

* ASSEMBLY OPTION TABLE

VARIANTS	CIRCUIT CONFIGURATION	MAX IOUT
A1Z	4 PHASE 4 OUTPUT	31.25A PER CHANNEL
A2Z	4 PHASE 1 OUTPUT	125A

HW TYPE : Evaluation Board
Product(s) : LTM4683
: LOW VOUT QUAD 31.25A OR SINGLE 125A PSM uMODULE REGULATOR

DESIGN VIEW
<DESIGN_VIEW>

PTD ENGINEER
-


DRAWING NO.
02_070748

REV
B


SIZE
E

SCALE
1:1

SHEET
2 OF 4



REVISIONS			
REV	DESCRIPTION	DATE	APPROVED

**ANALOG
DEVICES**

THIS DRAWING IS THE PROPERTY OF ANALOG DEVICES INC.
IT IS NOT TO BE REPRODUCED OR COPIED IN ANY MANNER OR
FOR ANY OTHER PURPOSE WITHOUT THE WRITTEN PERMISSION OF ANALOG DEVICES INC.
ALL RIGHTS ARE RESERVED BY ANALOG DEVICES INC. FOR THE INVENTION
OF ANY AND ALL OTHER PATENTABLE INVENTIONS.
THE INFORMATION CONTAINED HEREIN IS NOT TO BE RELEASED TO ANY OTHER PARTY
WITHOUT THE WRITTEN PERMISSION OF ANALOG DEVICES INC.

SCHEMATIC			
HW TYPE : Evaluation Board Product(s): LTW4683 : LOW VOUT QUAD 31.25A OR SINGLE 125A PSM uMODULE REGULATOR			
DESIGN VIEW <DESIGN_VIEW>	DRAWING NO. 02_070748	REV B	
PTD ENGINEER -	SIZE E	SCALE 1:1	SHEET 4 OF 4