

Design Rules Verification Report

Filename : C:\Users\Peep\Documents\SVN\Trinamic-TMC4670-Universal-Power-Stage\UPS_2A_EVAL\UPS_2A_EVAL_V11.PcbDoc

Warnings 0
Rule Violations 0

Warnings	
Total	0

Rule Violations	
Clearance Constraint (Gap=0.2mm) (All),(All)	0
Clearance Constraint (Gap=0.4mm) (IsPad and not PadIsPlated),(IsElectrical)	0
Short-Circuit Constraint (Allowed=No) (All),(All)	0
Un-Routed Net Constraint (All)	0
Modified Polygon (Allow modified: No), (Allow shelved: No)	0
Width Constraint (Min=0.15mm) (Max =2mm) (Preferred=0.2mm) (All)	0
Routing Via (MinHoleWidth=0.2mm) (Max HoleWidth=0.6mm) (PreferredHoleWidth=0.25mm) (MinWidth=0.5mm)	0
Power Plane Connect Rule(Relief Connect)(Expansion=0.4mm) (Conductor Width=0.2mm) (Air Gap=0.2mm)	0
Minimum Annular Ring (Minimum=0.15mm) (((ObjectKind = 'Pad') OR (ObjectKind = 'Via')) And (Layer = 'MultiLayer'))	0
Minimum Annular Ring (Minimum=0.15mm) (((ObjectKind = 'Pad') OR (ObjectKind = 'Via')) And (Layer = 'MultiLayer'))	0
Hole Size Constraint (Min=0.2mm) (Max =6mm) (All)	0
Net Antennae (Tolerance=0mm) (All)	0
Component Clearance Constraint (Horizontal Gap = 0mm, Vertical Gap = 0mm) (All),(All)	0
Height Constraint (Min=0mm) (Max =40mm) (Preferred=12.5mm) (All)	0
Total	0