



Certificate of Compliance

Certificate: 2141328

Master Contract: 205078

Project: 2141328

Date Issued: 2009/04/24

Issued to: Analog Devices Inc.

804 Woburn St
Wilmington, MA 01887-3462
USA
Attention: Mr. Al McEvoy

The products listed below are eligible to bear the CSA Mark shown with adjacent indicator ▲



Issued by: Martin Buchanan, P. Eng.

Authorized by: George Tranquada, C.E.T.
Product Group Manager

A handwritten signature in black ink that reads 'George Tranquada'.

PRODUCTS

CLASS 9073 30 - ELECTRONIC COMPONENTS - Optoisolators

Component Acceptance of Optoisolator Like Magnetic Coupling Devices:

Device	Rating(kV)	Stds/Notices	Internal	External
			Creep(mm)	DistThru(mm)
ADuM6132yRWZab	3.75	CA5A, 14-05,	-	7.6



Certificate: 2141328

Master Contract: 205078

Project: 2141328

Date Issued: 2009/04/24

60950-1-07,
IEC60950-1 2nd Ed.

where y may be a letter designating the performance grade, RW indicates the wide body SOIC package and Z, if used, indicates the lead-free version. Suffix ab is a 2 digit number denoting specific supply voltage combinations. Further suffix letters or digits differentiate shipping package formats.

Notes:

1. Basic insulation requirements have been addressed for 400Vrms (566Vp) for CSA 60950-1-07 and IEC 60950-1 2nd Ed.
2. Reinforced insulation requirements have been addressed for 250Vrms for CSA 60950-1-07 and IEC 60950-1 2nd Ed.
3. Evaluated by thermal cycling and other tests for a temperature rating of 85C.

These devices are Component Accepted as components for use in other Certified equipment where the suitability of the combination shall be determined by investigation in the final application.

APPLICABLE REQUIREMENTS

Component Acceptance Notice 5A (CA 5A).

CAN/CSA-C22.2 No 14-05 - Industrial Control Equipment
CAN/CSA-C22.2 No 60950-1-07 - Information Technology Equipment - Safety - Part 1: General Requirements
(Bi-national Standard, with UL 60950-1)

IEC 60950-1 2nd Ed. - Information Technology Equipment - Safety - Part 1: General Requirements