

Component Definition for: "ADXL355BEZ"	
Number of Pins: 14	Number of Gates: 1
Name of Pattern: E_14_1	Number of pattern Pins: 14
Symbol gating Information:	
Symbol name for gate 1 is ADXL355BEZ	


Pin Data:						
Pin Number	Pin Name	Gate Number	Symbol Pin	Gate Equiv.	Pin Equiv.	Pin Type
1	*CS/SCL	1	8	0	0	11
2	SCLK/VSSIO	1	11	0	0	11
3	MOSI/SDA	1	9	0	0	11
4	MISO/ASEL	1	10	0	0	11
5	VDDIO	1	1	0	0	11
6	VSSIO	1	13	0	0	11
7	RESERVED	1	12	0	0	11
8	V1P8DIG	1	3	0	0	11
9	VSS	1	14	0	0	11
10	V1P8NA	1	4	0	0	11
11	VSUPPLY	1	2	0	0	11
12	INT1	1	5	0	0	11
13	INT2	1	6	0	0	11
14	DRDY	1	7	0	0	11



Pin Mapping:	
Pad Number	Component Pin Reference
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9

Component Definition for: "ADXL355BEZ"	
Pin Mapping:	
Pad Number	Component Pin Reference
10	10
11	11
12	12
13	13
14	14

Symbol Name: ADXL355BEZ

RefDes
Type





Default Padstyle: r56_142

Alt 1 Padstyle: b152_229h76
Alt 2 Padstyle: b229_152h76

--

Height = 100
MINHEIGHT = 12
RefDes = RefDes
Type = DEV
PN = PN
DEV = DEV
VAL = VAL
TOL = TOL
RefDes2 = RefDes2
TEMPLATE = ADI_LCC_c.adt
NAME = E_14_1
P1 = Left Top
P1D = 1
RP = 50
FOOT_L1 = 35.98425
FOOT_L = 35.98425
N = 3
LY = 236.2205
LMY = 236.2205
NC = 4
LX = 236.2205
LMX = 236.2205
FOOT_W = 20
BODY_W = 236.2205
BODY_H = 236.2205
OUT_CORNER_CHAMFER = 55
TT = Normal Material

UTOE = 0

UHEEL = 0

USIDE = 0

UCE = 0

PSH = Rectangle

--

SMOS = 0
SPOS = 0
CHGT = 100
CMHGT = 12
KO = 0
KOW = 160
KOH = 210
HTT = 0
HTW = 150
HTH = 200
WVS = 0
WV = 0
PPPSH = Round
HTPADS = 40
HTDRL = 20
A1_PSH = Oblong
A1_PADW = 60
A1_PADH = 90
A1_SMOS = 0
A1_SPOS = 0
A1_DRL = 30
A2_PSH = Oblong
A2_PADW = 90
A2_PADH = 60
A2_SMOS = 0
A2_SPOS = 0
A2_DRL = 30

MWA = 4

RSMB = 2

ISML = 0

FID = 0

PROT = 0

--

REVLEVEL = A0
3D = 1
LEAD_H = 0
MATP = Aluminum
MATB = Black
OX2 = 0
OY = 0
OZ = 0
OriginalPinCount = 14

