

Component Definition for: "LT3094EMSE"	
Number of Pins: 13	Number of Gates: 1
Name of Pattern: MSOP12_MSE	Number of pattern Pins: 13
Symbol gating Information:	
Symbol name for gate 1 is LT3094xMSE	

Pin Data:		
Pin Number	Pin Name	Gate Number
1	IN	1
2	IN	1
3	EN/UV	1
4	PG	1
5	PGFB	1
6	ILIM	1
7	VIOC	1
8	SET	1
9	GND	1

Symbol
Pin
1
2
3
4
5
6
7
8
9


Component Definition for: "LT3094EMSE"		
Pin Data:		
Pin Number	Pin Name	Gate Number
10	OUTS	1
11	OUT	1
12	OUT	1
13	IN	1



Symbol
Pin
10
11
12
13

Pin Mapping:	
Pad Number	Component Pin Reference
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13

Symbol Name: LT3094xMSE

RefDes
Type





Default Padstyle: r139_43
Pin One Padstyle: r139_43
Heat Tab Padstyle: r165_285

Alt 1 Padstyle: b152_229h76
Alt 2 Padstyle: b229_152h76

Template Variables :

Height = 43.30709

MINHEIGHT = 4

RefDes = RefDes

Type = DEV

PN = PN

DEV = DEV

VAL = VAL

TOL = TOL

RefDes2 = RefDes2

OZ = 0

OriginalPinCount = 13

TEMPLATE = ADI_SO_C.adt

NAME = MSOP12_MSE

N = 12

BODY_W = 118.1102

LX = 198.8976

LMX = 186.9291

RP = 25.59055

BODY_H = 159.0157

Template Variables :

FOOT_L = 20.86614

FOOT_W = 14.96063

NT = Arc

TT = Normal Material

UTOE = 0

UHEEL = 0

USIDE = 0

UCE = 0

KO = 0

KOW = 78.74

KOH = 78.74

HTT = 1

HTW = 65

HTH = 112.0079

HTXO = 0

HTYO = 0

WVS = 0

WV = 0

PPPSH = Round

Template Variables :

HTPADS = 40

HTDRL = 20

A1_PSH = Oblong

A1_PADW = 60

A1_PADH = 90

A1_DRL = 30

A2_PSH = Oblong

A2_PADW = 90

A2_PADH = 60

A2_DRL = 30

MWA = 4

RSMB = 2

ISML = 0

CHGT = 43.30709

CMHGT = 4

PROT = 0

REVLEVEL = A0

3D = 1

LEAD_T = 7.086614

Template Variables :

MATP = Aluminum

MATB = Gray

OX2 = 0

OY = 0

