



# Certificate of Compliance

**Certificate:** 80137946

**Master Contract:** 205078

**Project:** 80137946

**Date Issued:** 2023-06-05

**Issued To:** Analog Devices Inc.  
804 Woburn St  
Wilmington, Massachusetts, 01887-3462  
United States

**Attention:** Jason Naso

*The products listed below are eligible to bear the CSA Mark shown with adjacent indicator▲*



**Issued by:** Martin Buchanan  
Martin Buchanan, P. Eng.

## **PRODUCTS**

CLASS - C907330 - ELECTRONIC COMPONENTS Optoisolators and non-optical isolating devices

Component Acceptance of Optoisolator Like Devices:

| Device<br>SOIC 16W (RW-16)                                                                                                                                                                   | Rating |     | Standard/Notice and Clauses                                                                                                                                                                                                                                                                                                                                                   | Internal         |                   | External            |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|-------------------|---------------------|
|                                                                                                                                                                                              | kV     | °C  |                                                                                                                                                                                                                                                                                                                                                                               | Creepage<br>(mm) | Dist Thru<br>(mm) | Creep/Clear<br>(mm) |
| ADuM340E0BRWZ<br>ADuM340E1BRWZ<br>ADuM341E0BRWZ<br>ADuM341E1BRWZ<br>ADuM342E0BRWZ<br>ADuM342E1BRWZ<br>ADuM340E0WBRWZ<br>ADuM340E1WBRWZ<br>ADuM341E0WBRWZ<br>ADuM341E1WBRWZ<br>ADuM342E0WBRWZ | 5.7    | 125 | CSA<br>14-18 tb35, 6.2.1.4.1, 6.2.1/6.2.12, 6.8.1<br>62368-1:19 5.4.3, 5.4.2, 5.4.4.4, 5.4.7,<br>5.4.8, 5.4.1.5.3, 5.4.9.1, 5.4.1.4<br>61010-1-12+A1 6.7.1.3, 6.7.2.1 or<br>tbK.1 to K.4, 6.7.2.2.1, 6.7.2.2.2 or tbK.9,<br>A.17, tbK.5x1.6, K.6x1.6, K.7x1.6, 10<br>60601-1:14 (R2018)+A1+A2<br>8.5.5.1, 8.8.2, 8.8.3x1.6, 8.9.3.2, 8.9.3.4,<br>8.9.1.15, 8.9.1.7<br><br>IEC | -                | -                 | 7.8                 |



**Certificate:** 80137946  
**Project:** 80137946

**Master Contract:** 205078  
**Date Issued:** 2023-06-05

| Device<br>SOIC 16W (RW-16) | Rating |    | Standard/Notice and Clauses                                                                                                                                                                                                                                                                                                                                                                                                 | Internal      |                | External         |
|----------------------------|--------|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------------|------------------|
|                            | kV     | °C |                                                                                                                                                                                                                                                                                                                                                                                                                             | Creepage (mm) | Dist Thru (mm) | Creep/Clear (mm) |
| ADuM342E1WBRWZ             |        |    | 62368-1:2018 Ed. 3 5.4.3, 5.4.2, 5.4.4.4, 5.4.7, 5.4.8, 5.4.1.5.3, 5.4.9.1, 5.4.1.4<br>61010-1 3 <sup>rd</sup> Ed+A1 6.7.1.3, 6.7.2.1 or tbK.1 to K.4, 6.7.2.2.1, 6.7.2.2.2 or tbK.9, A.17, tbK.5x1.6, K.6x1.6, K.7x1.6, 10<br>60601-1:2005 Ed 3.0+A1+A2 8.5.5.1, 8.8.2, 8.8.3x1.6, 8.9.3.2, 8.9.3.4, 8.9.1.15, 8.9.1.7<br><br>EN<br>62368-1:2020+A11:2020 5.4.3, 5.4.2, 5.4.4.4, 5.4.7, 5.4.8, 5.4.1.5.3, 5.4.9.1, 5.4.1.4 |               |                |                  |

where Z if used indicates the lead-free version. Suffix EP at the end of the base part number indicates lower extended temperature capability to -55C with a NiPdAu lead finish. Further suffix letters or digits differentiate shipping package formats.

#### Notes:

1. The devices meet basic insulation requirements for 780Vrms and reinforced insulation requirements for 390Vrms for CSA 62368-1:19. IEC 62368-1:2018 Ed. 3 and EN62368-1:2020. (pollution degree 2, material group III)
2. For CSA 61010-1-12+A1 and IEC 61010-1 3<sup>rd</sup> Ed. the devices meet 600Vrms for basic insulation and 300V for reinforced insulation based on 61010-1 Cl 14.1 a) for use in 61010-1 end products because they meet the requirements of the 62368-1 evaluation. The risk management process is not applicable to these clauses. (pollution degree 2, material group III)
3. For CSA 60601-1:14 (R2018)+A1+A2 and IEC 60601-1:2005 Ed 3.0+A1+A2 for 2 MOPP for 237.5Vrms, the devices meet clauses 8.5.5.1, 8.8.2, 8.8.3x1.6, 8.9.3.2, 8.9.3.4, 8.9.1.15, 8.9.1.7. The risk management process is not applicable to these clauses.
4. Case material: material group I.
5. Evaluated by thermal cycling and other tests for a temperature rating of 125C.
6. The creepage and clearance has been evaluated for altitudes ≤ 2000m, in pollution degree 2 and overvoltage category II except where specified above. (pollution degree 2, material group III).

These devices are Component Accepted as components for use in other Certified equipment where the suitability of the combination shall be determined by investigation in the final application.

#### **APPLICABLE REQUIREMENTS**

- CAN/CSA-C22.2 No 14-18 - Industrial Control Equipment  
CAN/CSA-C22.2 No. 62368-1:19 - Audio/video, information and communication technology equipment - Part 1: Safety requirements (Bi-national Standard with ANSI/UL 62368-1-2019)



**Certificate:** 80137946  
**Project:** 80137946

**Master Contract:** 205078  
**Date Issued:** 2023-06-05

---

IEC 62368-1:2018 Ed. 3 - Audio/video, information and communication technology equipment - Part 1: Safety requirements  
EN 62368-1:2020+A11:2020 - Audio/video, information and communication technology equipment - Part 1: Safety requirements (IEC 62368-1:2018)

Clauses 6.7.1.3, 6.7.2.1 or K.1 to K.4, 6.7.2.2.1, 6.7.2.2.2 or tbK.9, A.17, tbK.5x1.6, K.6x1.6, K.7x1.6, 10 of  
CAN/CSA C22.2 No. 61010-1-12, UPD1: 2015, UPD2: 2016, AMD1: 2018 - Safety Requirements for Electrical Equipment for Measurement, Control, and Laboratory Use, Part 1: General Requirements (Tri-national standard, with UL 61010-1 Ed. 3 (2012), AMD1: 2018 and ANSI/ISA-61010-1 (82.02.01))

and  
IEC 61010-1:2010 Ed. 3.1:2017 01 - Safety Requirements for Electrical Equipment for Measurement, Control and Laboratory Use - Part 1: General Requirements

Clauses 8.5.5.1, 8.8.2, 8.8.3x1.6, 8.9.3.2, 8.9.3.4, 8.9.1.15, 8.9.1.7  
of  
CAN/CSA C22.2 60601-1:14 (R2018) - Medical Electrical Equipment Part 1: General requirements for basic safety and general performance (Adopted IEC60601-1:2005 Edition 3.0 +Amendment 1, 2012-07 MOD +Amendment 2, 2020-08 MOD)

and  
IEC60601-1:2005 Ed 3.0+A1+A2 - Medical Electrical Equipment Part 1: General requirements for basic safety and general performance

**Notes:**

---

Products certified under Class C907330 have been certified under CSA's ISO/IEC 17065 accreditation with the Standards Council of Canada (SCC). [www.scc.ca](http://www.scc.ca)





## *Supplement to Certificate of Compliance*

**Certificate:** 80137946

**Master Contract:** 205078

*The products listed, including the latest revision described below,  
are eligible to be marked in accordance with the referenced Certificate.*

### **Product Certification History**

---

| <b>Project</b> | <b>Date</b> | <b>Description</b>                                                                         |
|----------------|-------------|--------------------------------------------------------------------------------------------|
| 80137946       | 2023-06-05  | Original Component Acceptance of Models ADuM34xExBRWZ and ADuM34xExWBRWZ (SOIC 16 W) 5.7kV |